

DEPARTMENTAL REPORTS

JANUARY 2021 MONTHLY REPORTS

The following monthly reports are attached:

Building Permit Activity Report
Property Maintenance Inspection Report
Zoning Clearances Issued
Environmental Services Report
Delinquent Meals and Lodging Tax
Business License
Parks and Recreation
City Clips
Utility Outage Report
Water System Chlorination Report
Department of Environmental Quality Report
Franklin Municipal Airport

RESIDENTIAL CONSTRUCTION**NEW SINGLE FAMILY**

Owner/Address	Description/Parcel ID	Estimated Value
RACHEL BLOW 206 COBB ST 23851	NEW SINGLE FAMILY TP 137-(059)-124	99,100
TOTAL NEW SINGLE FAM CONSTRUCTION:	1	99,100

RESIDENTIAL ADDITIONS

Owner/Address	Description/Parcel ID	Estimated Value
LAWRENCE WAVERLY JR 773 OAK STREET 23851	RESIDENTIAL ADDITION 155-121-2	6,960
TOTAL RESIDENTIAL ADDITIONS:	1	6,960

RESIDENTIAL RENOVATIONS

Owner/Address	Description/Parcel ID	Estimated Value
BROBST, MICHAEL & DIANE 309 WEST FIRST AVE 23851	RE-ROOF 123-(048)-BLK 32-5	43,135
WYCHE, DONALD 502 NORFLEET ST 23851	RESIDENTIAL 106-(048)-BLK 9-28	4,000
T \$ A ENTERPRISE LLC 310 BARRETT ST 23851	RESIDENTIAL RENOVATIONS 123-(072)-BLK 6-83	10,000
MANDY CRUMPLER 1417 CLAY ST 23851	RESIDENTIAL RENOVATIONS 087-(020)-3	10,000
BRYANT, JOHN 503 CLAY ST 23851	RESIDENTIAL RENOVATIONS 106-48-1-3	51,500
TOTAL RESIDENTIAL RENOVATIONS	5	118,635
TOTAL ALL RESIDENTIAL CONSTRUCTION:	7	224,695

DEMOLITION PERMIT

Owner/Address	Description/Parcel ID	Estimated Value
D W FRANKLIN LLC 602 CLAY ST	DEMOLITION 106-(048)-BLK 7-11	20,000
TOTALS:	1	20,000

TOTAL # OF BUILDING PERMITS / VALUE:	8	244,695
---	----------	----------------

CERTIFICATES OF OCCUPANCY

DATE ISSUED	ADDRESS	TYPE
1/14/2021	200 LANDVIEW LANE 23851	PERMANENT

BUILDING PERMIT REPORT FOR THE MONTH ENDING : 01/31/2021

TOTAL PERMIT & INSPECTION FEES GENERATED:	2,081.00
TOTAL OTHER REVENUE GENERATED:	0.00
STATE SURCHARGE COLLECTED: GENERATED:	26.65
TOTAL REVENUE GENERATED:	2,107.65

OTHER PERMITS ISSUED:

TYPE	RES	COMM	FEES	VALUE
ELECTRICAL PERMIT	7	0	375.00	21,200
MECHANICAL PERMIT	4	0	245.00	43,580
PLUMBING PERMIT	4	0	212.50	28,000
ZONING PERMIT	3	0	75.00	0
TOTALS:	18	0	907.50	92,780

PROJECT CODE RECAP

PERMITS BY TYPE	# OF PERMITS	EST VALUE	FEES
RESIDENTIAL ADDITION	1	6,960	100.00
DEMOLITION	1	20,000	25.00
ELECTRICAL PERMITS	7	21,200	375.00
MECHANICAL PERMIT	4	43,580	245.00
NEW SINGLE FAMILY DWELLING	1	99,100	0.00
PLUMBING PERMITS	4	28,000	212.50
RE-ROOF	1	43,135	285.00
RESIDENTIAL REPAIR-BUILDING	1	4,000	100.00
RESIDENTIAL RENOVATIONS	3	71,500	365.00
ZONING CLEARANCE	3	0	75.00
TOTALS	26	337,475	1782.50

PERMITS BY AREA

DESCRIPTION	# OF PERMITS	ESTIMATED VALUE
FRANKLIN (ALL)	26	337,475
TOTALS	26	337,475

INSPECTIONS BY TYPE

PERMIT TYPE	# OF INSPECTIONS	RES	COMM
BUILDING PERMIT	12	12	0
ELECTRICAL PERMIT	8	8	0
MECHANICAL PERMIT	5	5	0
PLUMBING PERMIT	2	2	0
TOTALS	27	27	0
CODE ENFORCEMENT	2		
TOTALS	29		

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
1/21/2021	X-006583-001	Z008	A	LDC	KEFFER ELIZABABETH SCOTT 312 CARRIE DRIVE

COMPLAINT COURTEST NOTIFICATION TO REQUEST REMOVAL OF INOPERATIVE MOTOR VEHICAL LOCATED AT 111 DALE CIRCLE LOCATED IN THE CITY OF FRANKLIN PER SECTION 19-66 OF THE FRANKLIN VIGINIA CITY CODE OF ORDINANCES B-26).

VERIFIED CAR REMOVED 1/21/21 PER BEVERLY WALKUP (REFER TO FILE)

1/28/2021	X-006582-001	Z008	A	LDC	HALL R JR, MICHAEL 104 BOBWHITE LN
-----------	--------------	------	---	-----	---------------------------------------

COMPLAINT NOTIFICATION TO REQUEST REMOVAL OF ACCUMULATION OF REFUSE AND INOPERATIVE MOTOR VEHICLE(S) ON PROPERTY (T.P.#54138-3)

VERIFIED COMPLIANCE 2/82021(REFER TO FILE)

TOTAL # of INSPECTIONS: 2

CODE ENFORCEMENT INSPECTIONS COMPLETED FROM: 1/01/2021 to 1/31/2021

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
1/21/2021	X-006583-001	Z008	A	LDC	KEFFER ELIZABABETH SCOTT 312 CARRIE DRIVE

COMPLAINT COURTEST NOTIFICATION TO REQUEST REMOVAL OF INOPERATIVE MOTOR VEHICAL LOCATED AT 111 DALE CIRCLE LOCATED IN THE CITY OF FRANKLIN PER SECTION 19-66 OF THE FRANKLIN VIGINIA CITY CODE OF ORDINANCES B-26).

VERIFIED CAR REMOVED 1/21/21 PER BEVERLY WALKUP (REFER TO FILE)

1/28/2021	X-006582-001	Z008	A	LDC	HALL R JR, MICHAEL 104 BOBWHITE LN
-----------	--------------	------	---	-----	---------------------------------------

COMPLAINT NOTIFICATION TO REQUEST REMOVAL OF ACCUMULATION OF REFUSE AND INOPERATIVE MOTOR VEHICLE(S) ON PROPERTY (T.P.#54138-3)

VERIFIED COMPLIANCE 2/82021(REFER TO FILE)

TOTAL # of INSPECTIONS: 2

	A	B	C	D	E	F	G	H	I	J
1	ZONING CLEARANCES REVIEWED AND ISSUED 2020 (CITY)									
2										
		Retail / Business	New SFD	New Comm	Additions /Alts Commercial	Additions /Alts Residential	Home Occp.	Accessory Structure s (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
3										
4	January		1			6				
5	February									
6	March									
7	April									
8	May									
9	June									
10	July									
11	August									
12	September									
13	October									
14	November									
15	December									
16	Totals		1			6				7

Project Status Report



Environmental Services Division
January 2021

■ : City of Franklin

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: January 2021

CUP/Site Plan Reviewed Date	Project Title	Project Address	Owner/Applicant Name	Site Plan under Review	Bldg Permit Issued	LD Permit Issued	Total Disturbed Acreage	Design/Inspection Comments
<i>CITY OF FRANKLIN:</i>								
1/6/2021	Harbor Freight	1101 Armory Drive	Holton Brinson/Jordan Trotter Commerical Real Estate	N/A	N/A			Mr. Holton Brinson submitted a conceptual site plan of a proposed Harbor Freight on a lot at 1101 Armory Drive. The Community Development Division, Ms. Walkup, Mr. Copeland, and I hosted a design conference over the phone with Mr. Brinson answering preliminary questions concerning the full submission process. Community Development is awaiting full site plans, applications, and associated fees to do a full site and building plan review.

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: January 2021

9/16/2020	Franklin CDR+J	1211 Armory Drive	Franklin Auto, LLC	Completed	Reviewed, not issued	Awaiting fees	3.78	<p>Site Plans received 9/16/2020. Site plans currently under initial review. We have received copies of site plans, site plan review fee (\$244.50), E&S bond estimate, application for Site Development Plan Review. First submittal was completed and comments were compiled and returned to B&B Consultants for review (10/7). Awaiting Second Submittal. On 10/14, held a design meeting with architect from B&B Consultants to discuss interior design specifications. On 10/19, held on-site meeting to discuss drainage components being redrawn and recalculated. Second submittal is due to arrive the week of November 16th. In accordance with the Zoning Ordinance section 24.5 Item B, the site plans needed approval from the Planning Commission. Planning Commission was held on 11/19; site plans were approved. Second Submittal of site plans received by the Environmental Services on 12/1/20. Site Plan second submittal comments were due to the Environmental Services division by 12/18/2020. Second Submittal Comments were sent back to B&B on 12/21; at this time, there are no other site plan comments. The comment letter consisted of requested revisions of the SWPPP and bond estimates. Awaiting third submittal. On January 8, B&B Consultants responded to the comment letter with an updated SWPPP document, registration statement and bond estimates. On January 15, the registration statement was used to file for the construction general permit through DEQ, site plans are conditionally approved. On January 22, DEQ issued the coverage letter. Community Development is still waiting to receive fees and copies of issuance of surety bonds for the project to begin.</p>
-----------	----------------	-------------------	--------------------	-----------	-------------------------	---------------	------	---

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: January 2021

8/27/2020	Wawa - Armory Drive	1461 Armory Drive	Capital Growth Buchalter/Kimley-Horn	Completed			2.02	<p>Site plans received 8/27/2020. Site plan review fee paid and received. Zoning/City, Public Works, VDOT have been notified of plans. 1st submittal currently under review. 1st submittal completed and comments returned to Kimley-Horn (9/23) Awaiting 2nd submittal. Second Submittal arrived 11/5/2020. City of Franklin staff reviewed and submitted comments back to Kimley-Horn by 11/20/2020. Kimley-Horn and the City of Franklin staff are all satisfied with comments on the site plans. The wawa project is scheduled to go before the Planning Commission on 12/17 at 5:30 pm per zoning ordinance section 24.5 item B. Wawa appeared in front of the Planning Commission on the scheduled date. The Commissioners expressed concern on the "porkchop entrance" that is proposed on the Armory Drive entrance, however, Ms. Walkup, Interim Director of Community Development, and Mr. Jeremy Yee, Professional Engineer of Kimley-Horn, ensured the Commissioners this proposal is the best design for the site. Site plans were approved by the Commissioners. Kimley-Horn submitted Third submittal of site plans on 12/18/2020. As of January 14, site plans are conditionally approved with the contingency of bonds being issued and the plat for combining two parcels has been initiated. The Community Development Division is currently awaiting for building plans and associated land disturbance permit fees.</p>

DELINQUENT MEALS & LODGING TAX REPORT AS OF MARCH 2, 2021

FOR JANUARY 2021

(DUE FEBRUARY 20, 2021)

MEALS TAX

BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS
CAPTAIN J	JAN 2021	1
CORNER OF SOUTH	NOV 2020 & JAN 2021	2
FRANKLIN STEAK & SEAFOOD	DEC 2020 & JAN 2021	2
GREAT WALL	JAN 2021	1
OUR TREE COMPANY	OCT-DEC 2020 & JAN 2021	4

(THE MAIL SEEMS TO BE AN ISSUE)

LODGING TAX


BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS

ALL LODGING TAX RETURNS ARE CURRENT

**New Business Up-date
January 2021**

Business Name	Location	Contact Info	Type of Service
Zeno Wellness Group LLC/PerCilla Zeno/Owner	601 North Mechanic Street Suite 224 Franklin, Virginia 23851	757-567-5854	Mental Health
Armory Self Storage LLC/Christy Nicholson/Owner	1440 Armory Drive Franklin, Virginia 23851	757-776-0071	Storage Units
Comfort Systems of Virginia Inc/Lisa Henderson/Controller	1211 Armory Drive Franklin, Virginia 23851	757-558-6007	Contractor
C & A Building and Remodeling LLC/Carlos Lewis/Owner	P O Box 1355 Hampton, Virginia 23661	757-303-8214	Contractor
Wrights Mobile Detailing and Polishing LLC/William Wright/Owner	113 Rawlsdale Road Franklin, Virginia 23851	434-774-5433	Detailing Service

	A	B	C	D	E	F	G	H	I	K	L	M	N
1				Franklin Department of Parks & Recreation									
2				Jan-21									
3													
4													
5													
6	Athletics				0								
7	Total				0								
8													
9	Programs												
10	Girls on the Run				0								
11	Aikido				0								
12	Pool Club				35								
13	Domino Club				0								
14	Open Recreation				258								
15	Pinocle				0								
16	Franklin Ministers Association				0								
17	Bid Whist Club				0								
18	Dance Team Practice				0								
19	Activity of the week				0								
20	Franklin wellness coalition				45								
21	Martial Arts				50			Farmers Market					
22	Cornhole				0			1/9/2021		50			
23	Total				388			1/16/2021		35			
24								1/23/2021		75			
25	Cover 3 Feeding							1/30/2021		65			
26	Breakfast				0			Total		225			
27	Lunch				0								
28	Snacks				0			Foodbank					
29	Dinners				0			1/8/2021		11			
30	Total				0			1/9/2021 Foodbank of Southeastern Va and Eastern S		533			
31								1/15/2021		8			
32	Community Meetings							1/22/2021		9			
33	Changing the Narrative				20			1/29/2021		10			
34	NAACP				5			Total		571			
35	Total				25								
36								Special Activities					
37	Social Media -Facebook clicks				3000			Dr. King Sidewalk Art Show		21			
38	Total				3000			Build a Birdhouse Event		15			
39								Activity-To-Go 1/5/21		10			
40	Volunteers							Activity-To-Go 1/12/21		8			
41	Foodbank of Southeastern Va and Eastern S				25			Activity-To-Go 1/19/21		6			
42	Activity-To-Go				3			Activity-To-Go 1/26/21		5			
43	Build a Birdhouse Event				12			Activity-To-Go 1/7/21		5			
44	Dr. King Sidewalk Art Show				3			Activity-To-Go 1/14/21		5			
45	Food Bank				23			Activity-To-Go 1/21/21		3			
46	Total				66			Activity-To-Go 1/28/21		6			



	A	B	C	D	E	F	G	H	I	K	L	M	N
47								Total		84			
48													
49								<i>Athletics</i>		0			
50								<i>Program</i>		388			
51								<i>Community Meetings</i>		25			
52								<i>Special Activities</i>		84			
53								<i>Farmers Market</i>		225			
54								<i>Foodbank</i>		571			
55								<i>Social Media -Facebook</i>		3000			
56								<i>Cover 3 Feeding</i>		0			
57								<i>Volunteers</i>		66			
58								Grand Total		4,359			

Franklin Department of Parks & Recreation

NOW HIRING

Looking for a summer job? The Franklin Department of Parks & Recreation is now accepting applications. Come join our team!

Summer Jam Employees

- Positions Available:
- Site Director
- Recreational Leaders

Applications are available at City hall 207 W. Second Ave Franklin, VA 23851 or application can be obtained at www.franklinva.com--> Employment. For further information call 757-562-8508





NOW HIRING

Looking for a great summer job? The Franklin Department of Parks & Recreation are currently accepting applications.

POSITIONS AVAILABLE:

- Pool Manager
- Lifeguards
- Gate Attendants



Applications are available at City hall 207 W. Second Ave Franklin, VA 23851 or application can be obtained at www.franklinva.com --> Employment. For Further information call 757-562-8508



2021 Spring Season

Franklin Girls GOTR Team

Practice starts March 8th!

**Mondays & Wednesdays
4:30 PM - 6:00 PM**

For more information contact:

Program Director Ali Reynolds
ali@gotrhr.org / 804-928-4554
Franklin Parks & Recreation
757-562-2475

Space is limited to 15 girls!

Register opens February 15th
www.gotrhr.org

Not Cancelled:
Building Confident Girls

To ensure the safety of girls and our trained volunteer coaches, our trusted curriculum has been modified to include physical distancing precautions and the ability to seamlessly transition to virtual programming should the need arise.

*Included with the
\$10 registration fee:*





- ★ Cinch Sack
- ★ GOTR Water Bottle
- ★ GOTR T-Shirt
- ★ 5k Finisher Medal
- ★ 5k Souvenir Bib
- ★ 8 Weeks of Lessons
- ★ Colored Pencils & Sharpener
- ★ Activity Journal
- ★ Cloth Face Covering
- ★ Hand Sanitizer
- ★ Disinfecting Wipes
- ★ Tissues

Thanks to the Obici Healthcare Foundation, we are able to offer a reduced registration fee. All participants will receive a FREE pair of running shoes in their size!

HURRY!
LIMITED
SPACE

Spring Break CAMP

APRIL 5-9



CALL FOR MORE INFO:
757-562-2475

LOCATION:
683 OAK STREET
TIME: 7:30A-6:00P
OPEN TO AGES 5-12 Y.O

REGISTER @
WWW.FRANKLINVA.COM
ONLINE PAYMENTS OR COME
INTO THE OFFICE TO OBTAIN A
PAPER APPLICATION AT 683
OAK STREET FRANKLIN VA
23851

\$50
REGULAR
REGISTRATION

ACTIVITIES
OUTDOOR GAMES,
FIELD TRIP,
FUN DAY,
ARTS & CRAFTS ETC

MARTIAL ARTS

OKINAWAN SHORIN RYU KARATE



Monday & Wednesday

5-6:30 pm

at City of Franklin Parks & Rec

Call Renshi Tony Leigh

Ski Warrior

Cell: (757) 653-7560

Home: (434) 658-4148



Dojo Located at:

Franklin Parks & Recreation

683 Oak Street

Franklin, VA

Kyoshi Warren Cobb


Warrior Within

(757) 742-1709

Hours:

Mon. and Tue. 5 - 6:30pm

Classes available to
all Adults down to 6 years old



Class Fee \$50.00
per month
Class A Day \$15.00
Drop In



SUMMER ADULT BASKETBALL



Game Dates:

June 7th
June 14th
June 21
June 28th
July 5th
July 6th & July 8th - Play- Offs

**ONLY 5 TEAMS
MAX!
\$400 TEAM OR
NO TEAM \$50
INDIVIDUAL!**

League Details:

Registration Starts/Ends- April 1ST- May 10TH
Location- Hayden Village (680 Oak Street)
Game Days- Monday Nights (6PM-9PM)
Dates- June 7th- July 5th (5 weeks)
Cost - \$400 Per team (9 Players max, must have full roster when you pay)
\$50- Individual (Placed on a team)
Ages- 18 & UP

You can register online at www.franklinva.com or at the community center at 683 Oak Street. Any further questions contact 562-2475.

Franklin Department of Parks & Recreation

Covid Restrictions:

- 5 on 5 (10 Players)
- 30 Minute rotation (Register on site)
- No spectators

OPEN GYM SCHEDULE

Open Gym Information:

- Cost: \$5 Per Player
- Open Gym days: Thursday's
- Time: 6PM-8PM
- Location: Hayden Village
680 Oak Street
Franklin, VA 23851

08
APR

OPEN GYM
HAYDEN VILLAGE 16:00 PM

22
APR

OPEN GYM
HAYDEN VILLAGE 16:00 PM

06
MAY

OPEN GYM
HAYDEN VILLAGE 16:00 PM

20
MAY

OPEN GYM
HAYDEN VILLAGE 16:00 PM

10
JUN

OPEN GYM
HAYDEN VILLAGE 16:00 PM

24
JUN

OPEN GYM
HAYDEN VILLAGE 16:00 PM

08
JUL

OPEN GYM
HAYDEN VILLAGE 16:00 PM

22
JUL

OPEN GYM
HAYDEN VILLAGE 16:00 PM

05
AUG

OPEN GYM
HAYDEN VILLAGE 16:00 PM

19
AUG

OPEN GYM
HAYDEN VILLAGE 16:00 PM

02
SEP

OPEN GYM
HAYDEN VILLAGE 16:00 PM

16
SEP

OPEN GYM
HAYDEN VILLAGE 16:00 PM



2021 Western Tidewater Food Programs Schedule

Day of the Month	City	Location	Address	Program Type	Time
1st Tuesday	Yale	7 th Day Adventist Church	19155 Courthouse Rd.	Mobile Pantry	9:30a -11a
1st Friday	Franklin	National Guard Armory	900 Armory Dr.	Mobile Pantry	9:30a -11a
2nd Saturday	Franklin	Martin Luther King Community Center	683 Oak St	Mobile Pantry	1p - 2:30p
2nd Thursday	Smithfield	Joseph Luter Jr Sports Complex	900 W. Main Street NEW LOCATION!	Mobile Pantry	9:30a-11a
3rd Saturday	Suffolk	Greater Works	1001 Obici Industrial Blvd	Mobile Pantry	9:30a -11a
3rd Tuesday	Southampton	Southampton Meadows	33536 Phillips Street	Mobile Pantry	1p - 2:30p
4th Tuesday	Southampton	Courland Farmer's Market	24540 Agri Park Dr.	Mobile Pantry	9a - 11a
* 4th Tuesday	Franklin	Hayden Village	680 Oak Street	Healthy Food Pantry*	10a-4p By appointment only
* 1st & 2nd Tuesdays	Franklin	Martin Luther King Community Center	683 Oak St	Community Produce Hub*	10a-3p By appointment only

*Registration required

For more information on registering for our programs or setting an appointment,
call us on our **HOTLINE** at (757) 876-1768

Schedule is subject to change. We will do our best to adhere to scheduled dates. In the event of a schedule change, we will post updates to our website at: foodbankonline.org.

The Foodbank of Southeastern Virginia
and the Eastern Shore is a proud member of:



For more information: www.foodbankonline.org/GetHelp

**FRANKLIN PARKS & RECREATION
PRESENTS...**

2021 SUMMER YOUTH ATHLETIC LEAGUE

LOCATION: Armory Park Complex (920 Armory Drive)

GAME DAYS: SATURDAY (10AM-2PM)

DATE: MAY 5TH- JUNE 2ND (5 WEEKS)

COST: \$50

AGES: 4-6

T-BALL



LOCATION: Armory Park Complex (920 Armory Drive)

GAME DAYS: WEDNESDAY (6PM-8PM)

DATE: JUNE 16TH - JULY 14TH (5 WEEKS)

COST: \$50

AGES: 4-14

SOCCER



LOCATION: Hayden Village (680 Oak Street)

GAME DAYS: SUNDAY (10AM-1PM)

DATE: AUGUST 7TH - SEPTEMBER 11TH (5 WEEKS)

COST: \$50

AGES: 4-17

BASKETBALL



For More Information Call: 757-562-2475
You can register online or paper application.
www.franklinva.com



FRANKLIN PARKS & RECREATION PRESENTS

COMMUNITY WIDE

Easter Egg Hunt



Come take a free
photo with the
Easter Bunny
(Mask Required)

FOR MORE INFO:
757-562-2475

APRIL 3, 2021
12-1:30PM

Armory Park Complex
920 ARMORY DRIVE
Franklin, Virginia 23851

Ages 4-6
12:00-12:30

Ages 7-9
12:30-1:00

Ages 10-12
1:00-1:30



	A	B	C	D	E	F
1		Franklin Power & Light				
2		Trouble Calls				
3		January 1, 2020 to January 31, 2020				
4						
5	Date:	1/30/2021				
6	Location:	605 Norfleet st				
7	Time first call came in:					
8	Actual Time of Outage:	10:59				
9	Power restored:	11:52				
10	Response time:					
11	Problem:	fuse pulled into		Caleb on call		
12	# of customers effected:					
13	# of customers effected:	1				

	G
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	

Date:	Monday - 7/6/15					
Location:	Part of Dogwood Bend Road and Sycamore Church Road					
Time first call came in:	7:34pm					
Actual Time of Outage:						
Power restored:	8:15pm to 94 customers					
Power restored:	9:00pm to 2 customers					
Response time:	20 minutes					
Problem:	Storm trouble - primary wire down - opened up "C" phase reclosure					
# of customers effected:	96					
This opened up "C" phase reclosure 1442 on Dogwood Bend Rd.						
Date:	Wednesday - 7/8/15					
Location:	31132 Smiths Ferry Road					
Time first call came in:	2:30am					
Actual Time of Outage:						
Power restored:	4:30am					
Response time:	35 minutes					
Problem:	Tree - fell across house service and tore it down					
# of customers effected:	2					
Wendell said it probably rocked the primary pretty good across road						
Date:	Wednesday - 7/15/15					
Location:	Smiths Ferry Road (Miller Farm)					
Time first call came in:	10:20am					
Actual Time of Outage:						
Power restored:	11:37am					
Response time:	15 minutes					
Problem:	Partial power - blown lightning arrester in the pad mount transformer					
# of customers effected:	1					
Outage at Miller farm just south of Mr. Darden - trouble shooting probably blinked him						

FILE

**CITY OF FRANKLIN
WATER SYSTEM CHLORINATION REPORT
JANUARY 2021**

	Pretlow	Hunterdale.	Armory Dr	Public Works	Cypress Ave	Trall Road	2nd Ave
	Well # 6	Well # 7	Dist. Sys	Dist. Sys.	Dist. Sys.	Dist. Sys.	Dist. Sys.
	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res	Cl2 Res	Cl2 Res.
Date	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l
1	1.03	0.10	0.61	0.61	0.56	0.67	0.42
2	1.05	0.99	0.66	0.69	0.63	0.69	0.44
3	1.04	0.91	0.59	0.54	0.65	0.66	0.49
4	1.07	0.94	0.61	0.69	0.66	0.70	0.44
5	1.01	1.01	0.63	0.69	0.63	0.66	0.42
6	0.99	1.03	0.68	0.69	0.80	0.69	0.42
7	1.10	1.01	0.62	0.64	0.69	0.66	0.46
8	1.01	0.98	0.68	0.70	0.69	0.69	0.48
9	1.04	0.97	0.69	0.71	0.66	0.69	0.48
10	1.06	1.01	0.62	0.68	0.70	0.70	0.47
11	0.98	0.98	0.63	0.65	0.67	0.70	0.46
12	0.95	0.97	0.63	0.71	0.68	0.69	0.48
13	0.93	0.99	0.68	0.71	0.65	0.69	0.49
14	1.02	1.03	0.65	0.68	0.66	0.69	0.48
15	0.93	0.96	0.64	0.72	0.68	0.70	0.50
16	0.95	0.97	0.62	0.63	0.60	0.67	0.38
17	0.98	0.99	0.65	0.61	0.65	0.67	0.47
18	1.04	0.93	0.64	0.64	0.67	0.67	0.44
19	0.95	0.99	0.62	0.64	0.68	0.73	0.50
20	1.03	1.07	0.61	0.70	0.67	0.73	0.50
21	0.96	1.01	0.61	0.69	0.68	0.71	0.50
22	0.94	1.00	0.61	0.68	0.69	0.73	0.53
23	1.06	0.98	0.69	0.67	0.67	0.72	0.48
24	0.94	0.97	0.63	0.70	0.68	0.71	0.45
25	1.09	0.98	0.62	0.67	0.67	0.70	0.48
26	1.10	1.00	0.63	0.66	0.65	0.70	0.50
27	1.03	0.97	0.69	0.75	0.65	0.68	0.54
28	1.06	0.97	0.68	0.71	0.65	0.69	0.52
29	1.10	0.93	0.71	0.69	0.66	0.69	0.55
30	1.03	0.93	0.72	0.64	0.63	0.70	0.47
31	1.05	0.95	0.73	0.71	0.67	0.63	0.58

COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT

Year 2021
MONTH JANUARY
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Water Source:
 Well(s)
 Spring(s)
 Wells and Spring(s)

Name of Waterworks
City of Franklin

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent

Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Signature Stephen W. Watson Date 2-1-2021
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 4 Well
Last	Months Reading	49,700,000
Date	Meter Reading*	Gal. used
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		0	
24		0	
25		0	
26		0	
27		0	
28		0	
29		0	
30		0	
31	49,700,000	0	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - COLLEGE DR

Total Gallons During Month	0	Total Gallons During Quarter	0
Total Oper. Days this Month	0	Total Oper. Days this Quarter	0
Daily Average During Month	0.00	Daily Average During Quarter	0.00

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2021
MONTH JANUARY
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

Water Source:

Well(s)
 Spring(s)
 Wells and Spring(s)

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks

City of Franklin

Name of Operator Stephen W. Watson

Position/ Title Utility Superintendent

Owner Same

Signature Stephen W. Watson Date 2.1.2021

Address: P. O. Box 179

Population Served (Public) 9,000

Franklin, Va. 23851 Phone (757)562-8564

No. of Connections (Public) 3,500

Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 5 Well
Last	Months Reading	2,400,000
Date	Meter Reading*	Gal. used
1		0
2		0
3		0
4		0
5		0
6		0
7		25,000
8		0
9		0
10		0
11		0
12		0
13		25,000
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		0	
19		0	
20		0	
21		25,000	
22		0	
23		0	
24		0	
25		0	
26		0	
27		0	
28		25,000	
29		0	
30		0	
31	2,500,000	0	

* Read meter same time each day

** If taken, read at end of non pumping period

***If taken, read at end of heavy- pumping period

****If taken in one well in a field, specify which

Well - HUNTERDALE # 5

Total Gallons

During Month

100,000

Total Oper.

Days this Month

4

Daily Average
During Month

25,000.00

Total Gallons

During Quarter

100,000

Total Oper.

Days this Quarter

4

Daily Average
During Quarter

25,000.00

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2021
MONTH JANUARY
Quarter (1) 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Water Source:
 Well(s)
 Spring(s)
 Wells and Spring(s)

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature [Signature] Date 2-1-2021
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify) _____
If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 6 Well
Last	Months Reading	974,594,000
Date	Meter Reading*	Gal. used
1		454,000
2		459,000
3		415,000
4		394,000
5		418,000
6		434,000
7		394,000
8		358,000
9		441,000
10		527,000
11		450,000
12		376,000
13		300,000
14		576,000
15		446,000

Date	Meter Reading*	Gal. Used	Water Level****
16		425,000	
17		492,000	
18		541,000	
19		322,000	
20		389,000	
21		421,000	
22		429,000	
23		417,000	
24		445,000	
25		430,000	
26		397,000	
27		598,000	
28		453,000	
29		357,000	
30		620,000	
31	988,220,000	448,000	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - PRETLOW

Total Gallons During Month	13,626,000	Total Gallons During Quarter	13,626,000
Total Oper. Days this Month	31	Total Oper. Days this Quarter	31
Daily Average During Month	439,548.39	Daily Average During Quarter	439,548.39

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2021
MONTH JANUARY
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board

Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office

Industrial. Send copy of report to Regional State Water Control Office

Other. Send copy of report to Regional State Water Control Board Office

Water Source:

Well(s)
 Spring(s)
 Wells and Spring(s)

Name of Waterworks

City of Franklin

Owner Same

Address: P. O. Box 179

Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson

Position/ Title Utility Superintendent

Signature Stephen W. Watson Date 2-1-2021

Population Served (Public) 9,000

No. of Connections (Public) 3,500

Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 7 Well
Last	Months Reading	196,682,000
Date	Meter Reading*	Gal. used
1		352,000
2		360,000
3		247,000
4		463,000
5		387,000
6		353,000
7		370,000
8		386,000
9		323,000
10		379,000
11		411,000
12		370,000
13		380,000
14		342,000
15		367,000

Date	Meter Reading*	Gal. Used	Water Level****
16		173,000	
17		332,000	
18		396,000	
19		254,000	
20		323,000	
21		325,000	
22		326,000	
23		321,000	
24		401,000	
25		386,000	
26		265,000	
27		377,000	
28		246,000	
29		305,000	
30		471,000	
31	207,380,000	307,000	

* Read meter same time each day

** If taken, read at end of non pumping period

***If taken, read at end of heavy- pumping period

****If taken in one well in a field, specify which

Well - HUNTERDALE # 7

Total Gallons
During Month

10,698,000

Total Oper.
Days this Month

31

Daily Average
During Month

345,096.77

Total Gallons
During Quarter

10,698,000

Total Oper.
Days this Quarter

31

Daily Average
During Quarter

345,096.77

FILE

FILE

Year: 2021
Month: JANUARY

**Virginia Department of Health
Office of Drinking Water
Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Pretlow Entry Point (EP006)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	10:48	4.52 gpd	1.03	0.61	400 gals
2	12:01	4.52 gpd	1.05	0.66	
3	8:48	4.52 gpd	1.04	0.59	
4	10:24	4.52 gpd	1.07	0.61	
5	8:19	4.52 gpd	1.01	0.63	
6	10:09	4.52 gpd	0.99	0.68	
7	8:01	4.52 gpd	1.10	0.62	
8	8:01	4.52 gpd	1.01	0.68	
9	9:32	4.52 gpd	1.04	0.69	
10	10:32	4.52 gpd	1.06	0.62	
11	8:23	4.52 gpd	0.98	0.63	
12	7:58	4.52 gpd	0.95	0.63	
13	8:01	4.52 gpd	0.93	0.68	
14	8:18	4.52 gpd	1.02	0.65	
15	7:58	4.52 gpd	0.93	0.64	
16	9:00	4.52 gpd	0.95	0.62	
17	9:56	4.52 gpd	0.98	0.65	
18	12:20	4.52 gpd	1.04	0.64	
19	8:07	4.52 gpd	0.95	0.62	
20	8:06	4.52 gpd	1.03	0.61	
21	8:14	4.52 gpd	0.96	0.61	
22	8:03	4.52 gpd	0.94	0.61	
23	9:15	4.52 gpd	1.06	0.69	
24	9:55	4.52 gpd	0.94	0.63	
25	8:38	4.52 gpd	1.09	0.62	
26	7:48	4.52 gpd	1.10	0.63	
27	7:59	4.52 gpd	1.03	0.69	
28	7:58	4.52 gpd	1.06	0.68	
29	8:21	4.52 gpd	1.10	0.71	
30	13:07	4.52 gpd	1.03	0.72	
31	12:36	4.52 gpd	1.05	0.73	260 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

Year: 2021
 Month: JANUARY

**Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Hunterdale Entry Point (EP007)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	11:53	3.23 gpd	1.00	0.67	360 gals
2	13:00	3.23 gpd	0.99	0.69	
3	9:53	3.23 gpd	0.91	0.66	
4	11:20	3.23 gpd	0.94	0.70	
5	10:58	3.23 gpd	1.01	0.66	
6	11:52	3.23 gpd	1.03	0.69	
7	10:28	3.23 gpd	1.01	0.66	
8	11:17	3.23 gpd	0.98	0.69	
9	10:04	3.23 gpd	0.97	0.69	
10	11:19	3.23 gpd	1.01	0.70	
11	10:53	3.23 gpd	0.98	0.70	
12	11:21	3.23 gpd	0.97	0.69	
13	10:28	3.23 gpd	0.99	0.69	
14	10:38	3.23 gpd	1.03	0.69	
15	11:15	3.23 gpd	0.96	0.70	
16	10:07	3.23 gpd	0.97	0.67	
17	10:58	3.23 gpd	0.99	0.67	
18	11:47	3.23 gpd	0.93	0.67	
19	11:16	3.23 gpd	0.99	0.73	
20	11:20	3.23 gpd	1.07	0.73	
21	11:20	3.23 gpd	1.01	0.71	
22	11:21	3.23 gpd	1.00	0.73	
23	10:05	3.23 gpd	0.98	0.72	
24	11:07	3.23 gpd	0.97	0.71	
25	11:12	3.23 gpd	0.98	0.70	
26	11:00	3.23 gpd	1.00	0.70	
27	11:43	3.23 gpd	0.97	0.68	
28	11:37	3.23 gpd	0.97	0.69	
29	11:16	3.23 gpd	0.93	0.69	
30	14:08	3.23 gpd	0.93	0.70	
31	13:32	3.23 gpd	0.95	0.63	260 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

Month of: Jan-21

Rain:

1	7269332	187669	1.00
2	7418820	149488	0.40
3	7594897	176077	0.90
4	7788022	193125	0.10
5	7905936	117914	0.00
6	8013135	107199	0.00
7	8107459	94324	0.00
8	8200823	93364	0.00
9	8300796	99973	0.10
10	8406150	105354	0.00
11	8507624	101474	0.00
12	8601682	94058	0.00
13	8706744	105062	0.00
14	8801962	95218	0.00
15	8885044	83082	0.00
16	8986604	101560	0.50
17	9083976	97372	0.10
18	9177048	93072	0.00
19	9275050	98002	0.00
20	9374042	98992	0.00
21	9462860	88818	0.00
22	9543688	80828	0.00
23	9624082	80394	0.00
24	9707222	83140	0.00
25	9789056	81834	0.00
26	9996850	207794	1.80
27	10202614	205764	0.10
28	10324394	121780	0.10
29	10451162	126768	0.00

30	10566274	115112	0.00
31	10675750	109476	0.00
Total		3,594,087	5.10

Isle of Wight County

Flow Report and Rain Fall

Last Reading Prior Month 7081663

**COURTLAND WASTEWATER TREATMENT PLANT
FLOW DATA CHART** **EDGEHILL PUMP STATION**

MONTH: January YEAR: 2021

DATE	DAY	OPERATOR	TIME	METER READING	GALLONS PUMPED	
1.1	1	Friday	PD	0853	6499720	95,810
9	2	Sat	PD	1100	6595530	112,590
1.6	3	Sun	PD	1116	6708120	101,630
	4	Mon	CL	100	6809750	43,866
	5	Tues	CL	1052	6853610	31,960
	6	Wed.	PD	0835	6885570	30,700
	7	Thurs	TC	8:29	6916270	31,780
0.1	8	Fr.	CL	1000	6948050	28,770
	9	SAT	TC	10:50	6976820	29,060
	10	SUN	CL	1100	7005830	20,680
	11	Mon	PD	930	7026560	23,140
	12	TUES	TC	9:17	7049700	23,670
	13	WED	TC	10:38	7073370	21,650
	14	Thurs	MB	9:30	7095020	21,750
0.7	15	Friday	PD	947	7116770	38,050
	16	Sat	PD	1:45	7154820	24,490
	17	Sun	MB	10:35	7179310	30,730
	18	MON	TC	2:16	7210040	19,310
	19	Tues	CL	1020	7229350	23,680
	20	wed	PD	11:00	7253030	21,740
	21	Thurs	CL	930	7274770	21,010
	22	FRI	TC	10:28	7295780	20,170
	23	SAT	CL	1045	7317950	16,700
	24	SUN	TC	10:02	7334650	21,710
20	25	Mon	MB	11:46	7356360	130,610
0.1	26	Tues	CL	1040	7483970	140,230
	27	WED	TC	10:32		
	28	Thurs	PD	944	7424200	49,920
	29	Fri	MB	11:09	7674120	37,410
1.3	30	SAT	PP		7711530	31,630
	31	SUN	MB	11:40	7743160	94,970
TOTALS						1338410
AVERAGE						

Monday Feb 1, 2021

7838130