

# **DEPARTMENTAL REPORTS**

## **FEBRUARY 2014 MONTHLY REPORTS**

**The following monthly reports are attached:**

Building Permit Activity Report  
Property Maintenance Inspection Report  
Delinquent Meals and Lodging Tax  
Business License  
Parks and Recreation  
Utility Outage Report  
Franklin Municipal Airport

**RESIDENTIAL CONSTRUCTION****NEW SINGLE FAMILY**

Owner/Address	Description	Estimated Value
UPTON, BRANDON AND EMILY 15528 IVOR RD 23878	CONSTRUCT 2426 SQ. FT.	210,000
<b>TOTALS:</b>	<b>1</b>	<b>210,000</b>
<b>TOTAL NEW RESIDENTAL CONSTRUCTION:</b>	<b>1</b>	<b>210,000</b>

**RESIDENTIAL RENOVATIONS**

Owner/Address	Description	Estimated Value
McGuire, Joe 520 Hunterdale Rd 23851	32 foot long handicap ramp	500
<b>TOTALS:</b>	<b>1</b>	<b>500</b>

**COMMERCIAL CONSTRUCTION****NEW COMMERCIAL STRUCTURES**

Owner/Address	Description	Estimated Value
FAMILY DOLLAR STORES OF VIRGINIA, INC 1133 ARMORY DR 23851	CONSTRUCT NEW	683,004
<b>TOTALS:</b>	<b>1</b>	<b>683,004</b>

**COMMERCIAL RENOVATIONS**

Owner/Address	Description	Estimated Value
FINCH, RP 30450 WHITLEY PEANUT DR 23878	CONSTRUCT 186 SQ. FT.	294,000
<b>TOTALS:</b>	<b>1</b>	<b>294,000</b>

**OTHER BUILDING PERMITS**

Owner/Address	Description	Estimated Value
Birckhead, John & Teresa 32038 Unity Road 23878	24 X 31 Detached Metal	1,600
<b>TOTALS:</b>	<b>1</b>	<b>1,600</b>

**TOTAL # OF BUILDING PERMITS / VALUE:****5 1,189,104****CERTIFICATES OF OCCUPANCY**

DATE ISSUED	ADDRESS	TYPE
NO C/O's ISSUED		

TOTAL PERMIT & INSPECTION FEES GENERATED:	6,058.0
TOTAL OTHER REVENUE GENERATED:	546.60
<b>TOTAL REVENUE GENERATED:</b>	<b>6,605.60</b>

<b>OTHER PERMITS ISSUED:</b>				
TYPE	RES	COMM	FEES	VALUE
TOTALS:	0	0	0	0

<b>PROJECT CODE RECAP</b>		
PERMITS BY TYPE	# OF PERMITS	ESTIMATED VALUE
COMMERCIAL RENOVATIONS	3	341,367
RESIDENTIAL DECK	1	500
ELECTRICAL PERMITS	7	17,539
GARAGE/CARPORT	2	17,600
MECHANICAL PERMIT	9	33,575
MODULAR HOUSING	1	214,507
NEW MERCANTILE	1	683,004
NEW INDUSTRIAL	1	350,000
NEW SINGLE FAMILY DWELLING	6	82,884
PLUMBING PERMITS	2	1,050
RESIDENTIAL ADDITION	2	36,800
RESIDENTIAL RENOVATIONS	2	25,900
<b>TOTALS</b>	<b>37</b>	<b>1,804,726</b>

<b>PERMITS BY AREA</b>		
DESCRIPTION	# OF PERMITS	ESTIMATED VALUE
SOUTHAMPTON COUNTY	20	242,307
JOYNER'S ACRES	1	1,000
<b>TOTALS</b>	<b>21</b>	<b>243,307</b>

<b>INSPECTIONS BY TYPE</b>			
PERMIT TYPE	# OF INSPECTIONS	RES	COMM
BUILDING PERMIT	22	20	2
ELECTRICAL PERMIT	18	18	0
MECHANICAL PERMIT	16	16	0
PLUMBING PERMIT	5	5	0
<b>TOTALS</b>	<b>61</b>	<b>59</b>	<b>2</b>



INSPECTIONS COMPLETED FROM: 2/01/2014 to 2/28/2014

DATE INSP	PERMIT #/INSP #	ADDRESS	INSPECTOR	RESULTS	REINSPECTION?
2/05/2014	E-14-000057-001	MECHANIC STREET 601	PS	A	N/A
2/05/2014	B-13-000526-003	FROGGY HOLLOW DR 16447	PS	A	N/A
2/06/2014	M-14-000062-001	UNITY RD 34168	DB	A	N/A
2/10/2014	M-14-000068-001	BRUCE ST - A-D 322	DE	V	NO
2/10/2014	M-14-000070-001	A-D BRUCE ST 338	DE	V	NO
2/10/2014	M-14-000069-001	BRUCE ST - A-D 330	DE	V	NO
2/10/2014	M-14-000071-001	BRUCE STREET 340	DE	V	NO
2/11/2014	P-13-000568-001	CRUMPLER RD 5225	DE	A	N/A
2/11/2014	M-13-000569-001	CRUMPLER RD 5225	DE	A	N/A
2/11/2014	M-13-000569-002	CRUMPLER RD 5225	DE	A	N/A
2/11/2014	E-14-000036-001	LAUREL ST 552	DE	V	NO
2/11/2014	E-14-000052-001	UNITY RD 34168	DE	A	N/A
2/11/2014	E-14-000036-002	LAUREL ST 552	PS	A	N/A
2/12/2014	B-14-000064-001	DORCHESTER ST 1698	DE	C	NO
2/12/2014	M-14-000078-001	INDIANTOWN RD 20428	DE	A	N/A
2/12/2014	E-14-000073-001	OLD PLACE RD 26300	DE	A	N/A
2/12/2014	B-13-000519-005	JOHNSONS MILL RD 16578	DB	A	N/A
2/12/2014	B-13-000484-006	Cypress Woods Trail 31173	DB	A	N/A
2/12/2014	M-13-000592-002	Cypress Woods Trail 31173	PS	A	N/A
2/12/2014	P-13-000595-002	Cypress Woods Trail 31173	DB	A	N/A
2/12/2014	E-13-000597-004	Cypress Woods Trail 31173	DB	A	N/A
2/13/2014	E-13-000567-001	CRUMPLER RD 5225	DE	A	N/A
2/14/2014	B-13-000301-005	NORTH HIGH ST 1401	DE	A	N/A
2/18/2014	B-13-000229-010	Indian Town Rd Courtland 20428	DB	A	N/A
2/18/2014	E-13-000327-002	INDIAN TOWN ROAD 20428	DB	A	N/A
2/18/2014	M-13-000438-002	INDIANTOWN RD 20428	DB	A	N/A
2/18/2014	P-13-000312-003	INDIANTOWN RD 20428	DB	A	N/A
2/18/2014	M-14-000070-002	A-D BRUCE ST 338	DE	V	NO
2/20/2014	E-13-000482-003	WAKEFIELD RD 9380	DE	C	NO
2/20/2014	B-14-000077-001	IVOR RD 15528	DE	V	NO
2/20/2014	E-13-000534-004	WATERVIEW LN 21292	DE	A	N/A
2/20/2014	B-14-000037-001	SYCAMORE AVE 30036	DE	V	NO
2/21/2014	P-13-000422-002	FORTSVILLE RD 10277	DB	A	N/A
2/21/2014	B-13-000318-009	FORTSVILLE RD 10277	DB	A	N/A
2/21/2014	E-13-000331-002	FORTSVILLE RD 10277	DB	A	N/A
2/21/2014	M-13-000427-002	FORTSVILLE RD 10277	DB	A	N/A
2/24/2014	B-14-000037-002	SYCAMORE AVE 30036	DE	A	N/A
2/24/2014	E-13-000098-002	CHESTNUT ST 401	DE	V	NO
2/24/2014	E-13-000450-004	BRUCE ST 340	DE	A	N/A
2/25/2014	M-14-000070-003	A-D BRUCE ST 338	DE	V	NO
2/25/2014	B-14-000079-001	CYPRESS RD 27526	DB	V	NO
2/25/2014	M-14-000071-002	BRUCE STREET 340	DE	C	NO
2/25/2014	B-13-000227-008	ROCHELLE ST 26221	DE	V	NO
2/26/2014	M-14-000069-002	BRUCE ST - A-D 330	DE	C	NO
2/26/2014	E-13-000347-005	ROCHELLE ST 26221	DE	V	NO
2/26/2014	P-13-000376-004	ROCHELLE ST 26221	DE	V	NO
2/26/2014	M-13-000395-003	ROCHELLE ST 26221	DE	V	NO
2/26/2014	B-14-000095-002	GENERAL MAHONE BLVD 32551	LDC	A	N/A
2/27/2014	B-14-000076-001	BLACK CREEK RD 21385	DE	A	N/A
2/27/2014	E-14-000085-001	TRAIL RD 400	DE	A	N/A
2/27/2014	E-14-000021-001	THOMAS ST 420	DE	A	N/A
2/27/2014	E-13-000482-004	WAKEFIELD RD 9380	DE	A	N/A

INSPECTIONS COMPLETED FROM: 2/01/2014 to 2/28/2014

DATE INSP	PERMIT #/INSP #	ADDRESS	INSPECTOR	RESULTS	REINSPECTION?
2/28/2014	E-14-000087-001	DORCHESTER ST 1698	DE	V	NO
2/28/2014	B-14-000091-001	STORY STATION 22037	LDC	V	NO
2/28/2014	B-14-000037-003	SYCAMORE AVE 30036	DB	A	N/A
2/28/2014	B-13-000227-009	ROCHELLE ST 26221	DE	V	NO
2/28/2014	B-14-000093-001	SYKES FARM RD 30200	DE	A	N/A
2/28/2014	B-14-000093-002	SYKES FARM RD 30200	DE	A	N/A
2/28/2014	B-14-000077-002	IVOR RD 15528	LDC	V	NO
2/28/2014	B-14-000051-001	RIVER'S MILL RD 12149	DE	A	N/A
2/28/2014	B-14-000091-002	STORY STATION 22037	LDC	V	NO

TOTAL # of INSPECTIONS: 61

APPROVED: 37 FAILED: 20 CONDITIONAL: 4

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
2/04/2014	X-003742-001	PM11	V	P&D	DAY, MAXIE R. EXECUTOR 618 SOUTH ST

Other/Misc. INVESTIGATION - MET WITH ANIMAL CONTROL AND HEALTH DEPT. SEVERAL VIOLATIONS FOUND.

2/07/2014	X-003745-001	P009	A	DE	BJCM Enterprises LLC 713 South Street
-----------	--------------	------	---	----	--

OTHER There was a complaint of bats at this location:

There was no evidence of bats upon inspection.

2/07/2014	X-003746-001	Z009	A	DE	Williams, Lemuel Trustee & Williams 712 SOUTH STREET
-----------	--------------	------	---	----	---

OTHER There was a report of bats at this location:

There was no evidence found of bats at this location.

2/07/2014	X-003748-001	Z008	A	DE	Williams, Lemuel Trustee & Williams 712 SOUTH STREET
-----------	--------------	------	---	----	---

COMPLAINT: There was a complaint of bats at this location, but there was no evidence of any bats.

2/07/2014	X-003742-004	PM11	V	P&D	DAY, MAXIE R. EXECUTOR 618 SOUTH ST
-----------	--------------	------	---	-----	--

Other/Misc. Other/Misc. INVESTIGATION - MET WITH ANIMAL CONTROL AND HEALTH DEPT. SEVERAL VIOLATIONS FOUND.  
(PICTURES ON FILE)

THE FOLLOWING VIOLATION NOTICES WERE APPROVED AND SENT OUT: NOTIFICATION OF NON-COMPLIANT VIRGINIA CODE; NOTICE TO REMOVE TRASH AND DEBRIS; NOTIFICATION OF ZONING ORDINANCE VIOLATIONS AND NOTICE TO VACATE IMMEDIATELY.

2/11/2014	X-003744-001	PM07	C	DB	HATCH, WM. F. 210 WILLIS RD
-----------	--------------	------	---	----	--------------------------------

Trash and Debris Tash and Debris and wood missing off front; no fence around pool.

- not in violation...close.

2/12/2014	X-003746-001	PM11	V	DB	CASCINO, GIUSEPPE & VINCENZA 179 COMMERCE PARK RD
-----------	--------------	------	---	----	--

Other/Misc. INSPECTION BEFORE OPENINGN OF BUSINESS.

2/14/2014	X-003746-002	PM11	A	DB	CASCINO, GIUSEPPE & VINCENZA 179 COMMERCE PARK RD
-----------	--------------	------	---	----	--

Other/Misc. Other/Misc. INSPECTION BEFORE OPENINGN OF BUSINESS. SEVERALS RECETACLES COVERS NOT ON, REAR AND FAR LEFT ROOM EXIT SIGNS NOT ON OR LIT UP. WILL FOLLOW UP ON 2/14/2014.

2/18/2014	X-003752-001	Z009	A	DE	Sheppard Group LLC 323 Pearl Street
-----------	--------------	------	---	----	--

OTHER There was a complaint of bats at this location.

Upon inspection ther was no evidence of bats.

2/21/2014	X-003750-001	H006	A	DB	SOUTHAMPTON FRANKLIN HABITAT 585 LAUREL ST
-----------	--------------	------	---	----	---

HOUSING OTHER VERIFICATION OF SHEDS

2/21/2014	X-003751-001	Z008	V	DE	Williams, Herman III 721 Orchard Street
-----------	--------------	------	---	----	--

COMPLAINT Tenant reported a leaking water pipe under kitchen sink. I inspected the residence and verified there was a leak on the hot water line dripping at the valve.

TOTAL # of INSPECTIONS: 11



<b>ZONING CLEARANCES REVIEWED AND ISSUED 2014</b>									
	Retail / Business	New SFD	New Comm	Additions /Alts Commercial	Additions /Alts Residential	Home Occupations	Accessory Structures (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
January	2					3	3	2	<b>10</b>
February	1	1					1	1	<b>4</b>
March									
April									
May									
June									
July									
August									
September									
October									
November									
December									
<b>YTD Totals</b>	<b>3</b>	<b>1</b>				<b>3</b>	<b>4</b>	<b>3</b>	<b>14</b>


# CITY OF FRANKLIN

## SUMMARY OF BUSINESS LICENSE, MEALS TAX, LODGING TAX & CIGARETTE TAX

FOR TAX YEAR BEGINNING JULY 1, 2013 & ENDING JUNE 30, 2014

### REPORT MONTH **FEBRUARY 2014**

	<b>BUDGETED</b>		
<b>A. BUSINESS LICENSE FOR THE MONTH</b>	<b>\$930,000</b>	<b>\$</b>	<b>687,866.92</b>
1. PREVIOUSLY REPORTED			57,636.74
2. TOTAL ISSUED TO DATE			745,503.66
<b>B. MEALS TAX FOR THE MONTH</b>	<b>\$1,250,000</b>	<b>\$</b>	<b>96,453.94</b>
1. PREVIOUSLY REPORTED			769,707.37
2. TOTAL ISSUED TO DATE			866,161.31
<b>C. LODGING TAX FOR THE MONTH</b>	<b>\$150,000</b>	<b>\$</b>	<b>6,819.92</b>
1. PREVIOUSLY REPORTED			104,143.63
2. TOTAL ISSUED TO DATE			110,963.55
<b>D. CIGARETTE TAX FOR THE MONTH</b>	<b>\$300,000</b>	<b>\$</b>	<b>26,473.92</b>
1. PREVIOUSLY REPORTED			215,191.68
2. TOTAL ISSUED TO DATE			241,665.60
** YEAR TO DATE TOTAL OF ALL CATEGORIES **		<b>\$</b>	<b>1,964,294.12</b>


  
BRENDA B. RICKMAN  
COMMISSIONER OF THE REVENUE



**New Business Up-date  
February 2014**

<b>Business Name</b>	<b>Location</b>	<b>Contact Info</b>	<b>Type of Service</b>
Mary'z Café LLC/Mary Barraclough/Owner	401 North Main Street Franklin, Virginia 23851	757-516-6279	Restaurant
Palmer Brothers Painting Contractors Inc/William Zimmerman/Secretary	1698 Dorchester Street Franklin, Virginia 23851	301-587-0100	Contractor
Southern Financial Solutions/Venus Watkins/Owner	101 South College Drive Franklin, Virginia 23851	757-539-0979	Tax Preparation
Windsor Homes & Remodeling/Jerry Gray/Owner	300 Crescent Drive Franklin, Virginia 23851	757-375-9571	Contractor
Greenfield Construction Co. Inc/John Hill/Secretary	1173 Armory Drive Franklin, Virginia 23851	704-296-9798	Contractor

	A	B	C	D	E	F	G	H	I	
1				<b>Franklin Department of Parks &amp; Recreation</b>						
2				<b>Attendance for the month of February 2014</b>						
3	<b>Athletic Section - New - 2</b>									
4	Teen Basketball				200					
5	Youth Basketball				300					
6	<b>Total</b>				<b>500</b>					
7										
8	<b>Athletic Section - Continued - 2</b>									
9	Franklin High Athletics				300					
10	Adult Open Gym				100					
11	<b>Total</b>				<b>400</b>					
12										
13	<b>Program - Continued - 10</b>									
14	M.L. King Center				1250					
15	Karate I				70					
16	Karate II				20					
17	Aikido				25					
18	Chess Club				20					
19	Cover 3 Food Program				100					
20	Domino Club				40					
21	Open Recreation				60					
22	Food Bank				100					
23	Volunteers				20					
24	<b>Total</b>				<b>1,705</b>					
25										
26						<b>Special Activity -3</b>				
26	<b>Community Meetings</b>				95	Welcome Black History Program			100	
27	<b>Total</b>				<b>95</b>	Senior Citizens Retiree Lucheon			200	
28						Fashion Elagantes Show			200	
29	<b>Senior Citizens</b>				609	<b>Total</b>			<b>400</b>	
30	<b>Total</b>				<b>609</b>	<b>Athletic</b>			<b>900</b>	
31						<b>Special Activity</b>			<b>500</b>	
32						<b>Program</b>			<b>1,705</b>	
33						<b>Community Meetings</b>			<b>95</b>	
34						<b>Senior Citizens</b>			<b>609</b>	
35						<b>Grand Total</b>			<b>3,809</b>	



**Franklin Power & Light**  
**Power Outages**  
**February 13, 2014 to March 18, 2014**

Date: Sunday - 2/23/14  
Location: 317 Banks Street  
Time first call came in: 12:50am  
Actual Time of Outage:  
Power restored:  
Response time: 25 minutes  
Problem: **Car hit pole** - broke pole  
# of customers effected: no outage

---

Date: Monday - 2/24/14  
Location: 200 Bracey Street  
Time first call came in: 5:08pm  
Actual Time of Outage:  
Power restored:  
Response time: 12 minutes  
Problem: **House fire** - pulled meter  
# of customers effected: 1

---

Date: Thursday - 2/27/14  
Location: 421 Pine Street  
Time first call came in: 9:12am  
Actual Time of Outage:  
Power restored:  
Response time: 10 minutes  
Problem: **Lights dimming** - problem on customer side of meter  
# of customers effected: 1

---

Date: Friday - 2/28/14  
Location: 111A Delaware Rdoad  
Time first call came in:  
Actual Time of Outage: 10:12am  
Power restored:  
Response time: Planned outage  
Problem: **Disconnected service**  
# of customers effected: 1

---

Date: Tuesday - 3/4/14  
Location: Roosevelt St., Madison Street and 1200 Block of South Street  
Time first call came in: 11:22am  
Actual Time of Outage:  
Power restored: 11:41am  
Response time: 10 minutes  
Problem: **Main line cutout fuse** - fuse pulled in to  
# of customers effected: 32

---

Date: Wednesday - 3/5/14  
Location: 1312 Virginia Street  
Time first call came in: 5:00pm  
Actual Time of Outage:  
Power restored:  
Response time: 15 minutes  
Problem: **Line down** - responded and found Cable TV service drop on ground  
# of customers effected:

---

Date: Saturday - 3/8/14  
Location: 8988 Holy Neck Road  
Time first call came in: 12:11am  
Actual Time of Outage:  
Power restored:  
Response time: 25 minutes  
Problem: **Pick-up truck hit yard light pole** - did not break pole  
# of customers effected: no outage

---

Date: Monday - 3/10/14  
Location: 212 Bruce Street  
Time first call came in: 8:00pm  
Actual Time of Outage:  
Power restored:  
Response time: 20 minutes  
Problem: **No lights** - main breaker on customer side of meter  
# of customers effected: 1

---

Date: Wednesday - 3/12/14  
Location: N. High Street Pump Station  
Time first call came in: 11:05pm  
Actual Time of Outage:  
Power restored:  
Response time: 25 minutes  
Problem: **No power** - customer side of meter  
# of customers effected: 1

---

Date: Thursday - 3/13/14  
Location: 2293 Carrsville Hwy.  
Time first call came in:  
Actual Time of Outage: 10:40am  
Power restored: 11:47am  
Response time: Planned outage  
Problem: **Disconnected service** - for contractor  
# of customers effected: 1

---



**CITY OF FRANKLIN**  
**WATER SYSTEM CHLORINATION REPORT**  
 Feb-14

	Pretlow	Hunterdale.	Armory Dr	Public Works	Sunset Dr.	Trail Road	2nd Ave
	Well # 6	Well #4	Dist. Sys	Dist. Sys.	Dist. Sys.	Dist. Sys.	Dist. Sys.
	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res	Cl2 Res	Cl2 Res.
Date	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l
1	1.01	0.69	0.37	0.61	0.33	0.45	0.34
2	0.74	0.67	0.44	0.53	0.27	0.41	0.30
3	0.72	0.72	0.49	0.49	0.39	0.43	0.37
4	0.86	0.70	0.43	0.49	0.34	0.41	0.35
5	0.82	0.71	0.43	0.45	0.31	0.39	0.33
6	0.78	0.71	0.42	0.44	0.39	0.39	0.31
7	0.77	0.70	0.43	0.42	0.30	0.36	0.29
8	0.70	0.70	0.43	0.48	0.34	0.37	0.31
9	0.80	0.70	0.45	0.49	0.32	0.38	0.34
10	0.98	0.64	0.41	0.47	0.34	0.37	0.34
11	0.67	0.74	0.45	0.51	0.29	0.38	0.42
12	0.79	0.73	0.53	0.57	0.40	0.36	0.36
13	0.84	0.67	0.38	0.54	0.36	0.34	0.31
14	0.58	0.73	0.44	0.52	0.39	0.43	0.36
15	0.77	0.72	0.45	0.52	0.33	0.42	0.36
16	1.08	0.74	0.55	0.49	0.39	0.44	0.36
17	0.81	0.77	0.46	0.51	0.37	0.42	0.38
18	0.81	0.71	0.48	0.57	0.37	0.43	0.35
19	0.67	0.69	0.55	0.42	0.42	0.47	0.36
20	0.95	0.58	0.38	0.55	0.32	0.38	0.28
21	0.86	0.64	0.53	0.53	0.32	0.41	0.33
22	0.84	0.51	0.45	0.53	0.27	0.27	0.30
23	0.86	0.74	0.44	0.52	0.28	0.39	0.32
24	0.89	0.73	0.52	0.56	0.42	0.37	0.31
25	0.93	0.72	0.47	0.52	0.30	0.47	0.35
26	0.81	0.71	0.53	0.57	0.38	0.38	0.34
27	0.85	0.65	0.46	0.52	0.37	0.42	0.33
28	0.84	0.69	0.54	0.56	0.36	0.41	0.34

**COMMONWEALTH OF VIRGINIA  
GROUND WATER PUMPAGE AND USE REPORT**

Year 2014  
MONTH FEBRUARY  
Quarter 2 3 4  
(Circle One)  
County/ City  
City of Franklin

**State Department of Health and State Water Control Board**

Water Source: Public. Send copy of report to Regional State Water Control Board Office and  
X Well(s) Regional State Health Department Office  
Spring(s) Industrial. Send copy of report to Regional State Water Control Office  
Wells and Spring(s) Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks  
City of Franklin

Name of Operator Stephen W. Watson  
Position/ Title Utility Superintendent  
Signature [Signature] Date 3-4-14

Owner Same  
Address: P. O. Box 179  
Franklin, Va. 23851 Phone (757)562-8564

Population Served (Public) 9,000  
No. of Connections (Public) 3,475  
Operation Permit Number (public) 3620350

Type of use: Public X Industrial \_\_\_\_\_ Other (Specify) \_\_\_\_\_

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 4 Well	
Date	Meter Reading*	Gal. used	Water Level**** Static** Pumping**
Last mc	50,245,000		
1		0	
2		0	
3		0	
4		0	
5		0	
6		0	
7		0	
8		0	
9		0	
10		0	
11		0	
12		0	
13		0	
14		0	
15		0	

Date	Meter Reading*	Gal. Used	Water Level**** Static Pumping***
16		0	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		0	
24		0	
25		0	
26		0	
27		0	
28	50,245,000	0	

\* Read meter same time each day  
\*\* If taken, read at end of non pumping period  
\*\*\*If taken, read at end of heavy- pumping period  
\*\*\*\*If taken in one well in a field, specify which well \_\_\_\_\_ COLLEGE DR

Total Gallons  
During Month  
  
Total Oper.  
Days this Month  
  
Daily Average  
During Month

0
0
0.00

Total Gallons  
During Quarter  
  
Total Oper.  
Days this Quarter  
  
Daily Average  
During Quarter

0
0
0.00

**FILE COPY**



**COMMONWEALTH OF VIRGINIA**  
**GROUND WATER PUMPAGE AND USE REPORT**

Year 2014  
MONTH FEBRUARY  
Quarter 2 3 4  
(Circle One)  
County/ City  
City of Franklin

**State Department of Health and State Water Control Board**

Water Source: Public. Send copy of report to Regional State Water Control Board Office and  
X Well(s) Regional State Health Department Office  
Spring(s) Industrial. Send copy of report to Regional State Water Control Office  
Wells and Spring(s) Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks  
City of Franklin

Name of Operator Stephen W. Watson  
Position/ Title Utility Superintendent  
Signature [Signature] Date 3-4-14

Owner Same  
Address: P. O. Box 179  
Franklin, Va. 23851 Phone (757)562-8564

Population Served (Public) 9,000  
No. of Connections (Public) 3,475  
Operation Permit Number (public) 3620350

Type of use: Public X Industrial \_\_\_\_\_ Other (Specify) \_\_\_\_\_

If measurements are for a single-meter field reading, list wells included in field

SWCB No. \_\_\_\_\_ Owner No. \_\_\_\_\_ SWCB No. \_\_\_\_\_ Owner No. \_\_\_\_\_  
SWCB No. \_\_\_\_\_ Owner No. \_\_\_\_\_ SWCB No. \_\_\_\_\_ Owner No. \_\_\_\_\_  
SWCB No. \_\_\_\_\_ Owner No. \_\_\_\_\_ SWCB No. \_\_\_\_\_ Owner No. \_\_\_\_\_

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 5 Well	
Date	Meter Reading*	Gal. used	Water Level**** Static** Pumping**
Last mc	355,463,000		
1		0	
2		0	
3		0	
4		0	
5		25,000	
6		0	
7		0	
8		0	
9		0	
10		0	
11		0	
12		26,000	
13		0	
14		0	
15		0	

Date	Meter Reading*	Gal. Used	Water Level**** Static Pumping***
16		0	
17		0	
18		0	
19		24,000	
20		0	
21		0	
22		0	
23		0	
24		0	
25		0	
26		25,000	
27		0	
28	355,563,000	0	

\* Read meter same time each day

\*\* If taken, read at end of non pumping period

\*\*\*If taken, read at end of heavy- pumping period

\*\*\*\*If taken in one well in a field, specify which

well \_\_\_\_\_ HUNTERDALE # 5

Total Gallons  
During Month

100,000

Total Oper.  
Days this Month

4

Daily Average  
During Month

25,000.00

Total Gallons  
During Quarter

176,000

Total Oper.  
Days this Quarter

7

Daily Average  
During Quarter

25,142.86

**FILE COPY**

**COMMONWEALTH OF VIRGINIA  
GROUND WATER PUMPAGE AND USE REPORT**

Year 2014  
MONTH FEBRUARY  
Quarter (1) 2 3 4  
(Circle One)  
County/ City  
City of Franklin

**State Department of Health and State Water Control Board**

Water Source: Public. Send copy of report to Regional State Water Control Board Office and  
X Well(s) Regional State Health Department Office  
Spring(s) Industrial. Send copy of report to Regional State Water Control Office  
Wells and Spring(s) Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks  
City of Franklin

Name of Operator Stephen W. Watson  
Position/ Title Utility Superintendent  
Signature [Signature] Date 3-21-14

Owner Same  
Address: P. O. Box 179  
Franklin, Va. 23851 Phone (757)562-8564

Population Served (Public) 9,000  
No. of Connections (Public) 3,475  
Operation Permit Number (public) 3620350

Type of use: Public X Industrial \_\_\_\_\_ Other (Specify) \_\_\_\_\_

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 6 Well	
Date	Meter Reading*	Gal. used	Water Level****
			Static** Pumping**
Last mc	572,641,000		
1		748,000	
2		825,000	
3		846,000	
4		752,000	
5		688,000	
6		593,000	
7		542,000	
8		749,000	
9		459,000	
10		543,000	
11		463,000	
12		547,000	
13		496,000	
14		583,000	
15		467,000	

Date	Meter Reading*	Gal. Used	Water Level****
			Static Pumping***
16		579,000	
17		441,000	
18		610,000	
19		486,000	
20		557,000	
21		416,000	
22		529,000	
23		569,000	
24		416,000	
25		543,000	
26		384,000	
27		537,000	
28	588,526,000	517,000	

\* Read meter same time each day  
\*\* If taken, read at end of non pumping period  
\*\*\* If taken, read at end of heavy- pumping period  
\*\*\*\* If taken in one well in a field, specify which well PRETLOW

Total Gallons  
During Month  
  
Total Oper.  
Days this Month  
  
Daily Average  
During Month

15,885,000
28
567,321.43

Total Gallons  
During Quarter  
  
Total Oper.  
Days this Quarter  
  
Daily Average  
During Quarter

33,931,000
59
575,101.69

**FILE COPY**



**COMMONWEALTH OF VIRGINIA  
GROUND WATER PUMPAGE AND USE REPORT**

Year 2014  
MONTH FEBRUARY  
Quarter 2 3 4  
(Circle One)  
County/ City  
City of Franklin

**State Department of Health and State Water Control Board**

Water Source: Public. Send copy of report to Regional State Water Control Board Office and  
X Well(s) Regional State Health Department Office  
Spring(s) Industrial. Send copy of report to Regional State Water Control Office  
Wells and Spring(s) Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks  
City of Franklin

Name of Operator Stephen W. Watson  
Position/ Title Utility Superintendent  
Signature [Signature] Date 3-4-14

Owner Same  
Address: P. O. Box 179  
Franklin, Va. 23851 Phone (757)562-8564

Population Served (Public) 9,000  
No. of Connections (Public) 3,475  
Operation Permit Number (public) 3620350

Type of use: Public X Industrial \_\_\_\_\_ Other (Specify) \_\_\_\_\_

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# / Well	
Date	Meter Reading*	Gal. used	Water Level**** Static** Pumping**
Last mc	157,654,000		
1		383,000	
2		360,000	
3		645,000	
4		370,000	
5		465,000	
6		328,000	
7		448,000	
8		387,000	
9		493,000	
10		325,000	
11		456,000	
12		367,000	
13		452,000	
14		462,000	
15		334,000	

Date	Meter Reading*	Gal. Used	Water Level**** Static** Pumping**
16		317,000	
17		449,000	
18		530,000	
19		421,000	
20		480,000	
21		414,000	
22		437,000	
23		492,000	
24		321,000	
25		556,000	
26		354,000	
27		439,000	
28	169,550,000	411,000	

\* Read meter same time each day  
\*\* If taken, read at end of non pumping period  
\*\*\*If taken, read at end of heavy- pumping period  
\*\*\*\*If taken in one well in a field, specify which well \_\_\_\_\_ HUNTERDALE # 7

Total Gallons  
During Month  
  
Total Oper.  
Days this Month  
  
Daily Average  
During Month

11,896,000
28
424,857.14

Total Gallons  
During Quarter  
  
Total Oper.  
Days this Quarter  
  
Daily Average  
During Quarter

25,074,000
59
424,983.05

**FILE COPY**

Year: 2014  
 Month: FEBRUARY

**Virginia Department of Health  
 Office of Drinking Water  
 Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Pretlow Entry Point (EP006)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Comments
1	5:15	4.29 gpd	1.01	0.37	100 gals
2	5:15	4.29 gpd	0.74	0.44	
3	8:48	4.29 gpd	0.72	0.49	
4	8:12	4.29 gpd	0.86	0.43	
5	8:38	4.29 gpd	0.82	0.43	
6	9:34	4.29 gpd	0.78	0.42	60/500
7	8:32	4.29 gpd	0.77	0.43	
8	11:19	4.29 gpd	0.70	0.43	
9	10:59	4.29 gpd	0.80	0.45	
10	8:21	4.29 gpd	0.98	0.41	
11	8:55	4.29 gpd	0.67	0.45	
12	8:50	4.29 gpd	0.79	0.53	
13	8:18	4.29 gpd	0.84	0.38	
14	8:16	4.29 gpd	0.58	0.44	
15	5:15	4.29 gpd	0.77	0.45	
16	5:10	4.29 gpd	1.08	0.55	
17	5:15	4.29 gpd	0.81	0.46	
18	8:40	4.29 gpd	0.81	0.48	
19	8:50	4.29 gpd	0.67	0.55	
20	8:43	4.29 gpd	0.95	0.38	
21	8:26	4.29 gpd	0.86	0.53	
22	11:09	4.29 gpd	0.84	0.45	
23	9:56	4.29 gpd	0.86	0.44	
24	8:57	4.29 gpd	0.89	0.52	
25	8:23	4.29 gpd	0.93	0.47	
26	8:51	4.29 gpd	0.81	0.53	
27	8:29	4.29 gpd	0.85	0.46	
28	8:36	4.29 gpd	0.84	0.54	420 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

\*\* Indicate the dates the chlorine compound was replenished and any operational changes/issues.

**FILE COPY**

Year: 2014  
 Month: FEBRUARY

**Virginia Department of Health  
 Office of Drinking Water  
 Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Hunterdale Entry Point (EP007)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Comments
1	5:53	3.93 gpd	0.69	0.45	275 gals
2	5:55	3.93 gpd	0.67	0.41	
3	10:27	3.93 gpd	0.72	0.43	
4	11:05	3.93 gpd	0.70	0.41	
5	11:12	3.93 gpd	0.71	0.39	
6	11:18	3.93 gpd	0.71	0.39	
7	11:10	3.93 gpd	0.70	0.36	
8	9:44	3.93 gpd	0.70	0.37	
9	11:39	3.93 gpd	0.70	0.38	
10	11:25	3.93 gpd	0.64	0.37	
11	10:22	3.93 gpd	0.74	0.38	
12	11:41	3.93 gpd	0.73	0.36	
13	10:22	3.93 gpd	0.67	0.34	
14	10:36	3.93 gpd	0.73	0.43	
15	5:45	3.93 gpd	0.72	0.42	
16	5:44	3.93 gpd	0.74	0.44	
17	5:45	3.93 gpd	0.77	0.42	
18	10:57	3.93 gpd	0.71	0.43	
19	10:51	3.93 gpd	0.69	0.47	
20	11:23	3.93 gpd	0.58	0.38	
21	10:51	3.93 gpd	0.64	0.41	
22	10:20	3.93 gpd	0.51	0.27	
23	10:54	3.93 gpd	0.74	0.39	
24	11:16	3.93 gpd	0.73	0.37	
25	11:13	3.93 gpd	0.72	0.47	
26	11:34	3.93 gpd	0.71	0.38	
27	10:58	3.93 gpd	0.65	0.42	
28	11:27	3.93 gpd	0.69	0.41	165 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

\*\* Indicate the dates the chlorine compound was replenished and any operational changes/issues.