

DEPARTMENTAL REPORTS

DECEMBER 2020 MONTHLY REPORTS

The following monthly reports are attached:

Building Permit Activity Report
Property Maintenance Inspection Report
Zoning Clearances Issued
Environmental Services Report
Delinquent Meals and Lodging Tax
Business License
Parks and Recreation
City Clips
Utility Outage Report
Water System Chlorination Report
Department of Environmental Quality Report
Franklin Municipal Airport

RESIDENTIAL CONSTRUCTION

RESIDENTIAL RENOVATIONS

Owner/Address	Description/Parcel ID	Estimated Value
CUTCHIN CARLTON LEE III 102 MECHANIC ST FRANKLIN	RESIDENTIAL 107-55-17-15A	12,900
DAVIS PHILLIP S & MICHELLE P 1112 CLAY STREET FRANKLIN	RESIDENTIAL 88-4-128	7,000
TOTAL RESIDENTIAL RENOVATIONS	2	19,900

TOTAL # OF BUILDING PERMITS / VALUE:

2 19,900

CERTIFICATES OF OCCUPANCY

DATE ISSUED	ADDRESS	TYPE
NO C/O's ISSUED		

TOTAL PERMIT & INSPECTION FEES GENERATED:

1,384.00

TOTAL OTHER REVENUE GENERATED:

0.00

STATE SURCHARGE COLLECTED: GENERATED:

19.20

TOTAL REVENUE GENERATED:

1,403.20

OTHER PERMITS ISSUED:

TYPE	RES	COMM	FEES	VALUE
ELECTRICAL PERMIT	4	0	275.00	6,650
MECHANICAL PERMIT	2	2	365.00	31,300
PLUMBING PERMIT	2	0	140.00	6,400
ZONING PERMIT	1	1	50.00	0
TOTALS:	9	3	830.00	44,350

PROJECT CODE RECAP

PERMITS BY TYPE	# OF PERMITS	EST VALUE	FEES
ELECTRICAL PERMITS	4	6,650	275.00
MECHANICAL PERMIT	4	31,300	365.00
PLUMBING PERMITS	2	6,400	140.00
PLUMBING WATER	1	6,000	145.00
RESIDENTIAL REPAIR-BUILDING	2	19,900	310.00
ZONING CLEARANCE	2	0	50.00
TOTALS	15	70,250	1285.00

PERMITS BY AREA

DESCRIPTION	# OF PERMITS	ESTIMATED VALUE
FRANKLIN (ALL)	15	70,250
TOTALS	15	70,250

INSPECTIONS BY TYPE

PERMIT TYPE	# OF INSPECTIONS	RES	COMM
BUILDING PERMIT	14	12	2
ELECTRICAL PERMIT	8	6	2
MECHANICAL PERMIT	2	2	0
PLUMBING PERMIT	4	2	2
TOTALS	28	22	6

	A	B	C	D	E	F	G	H	I	J
1	ZONING CLEARANCES REVIEWED AND ISSUED 2020 (CITY)									
2										
3		Retail / Business	New SFD	New Comm	Additions /Alts Commercial	Additions /Alts Residential	Home Occp.	Accessory Structures (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
4	January			2			2	2		6
5	February				2	3				5
6	March					1				1
7	April		2			1	1	6		10
8	May	1	1				2	6	1	11
9	June		1		1	3		7		12
10	July	2	1					2		5
11	August	5						7	8	20
12	September							1		1
13	October		1				2	2		5
14	November			1		1				2
15	December					2				2
16	Totals	8	6	3	3	11	7	33	9	80

Project Status Report



Environmental Services Division
December 2020

■ : City of Franklin

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: November 2020

CUP/Site Plan Reviewed Date	Project Title	Project Address	Owner/Applicant Name	Site Plan under Review	Bldg Permit Issued	LD Permit Issued	Total Disturbed Acreage	Design/Inspection Comments
CITY OF FRANKLIN:								
9/16/2020	Franklin CDR+J	1211 Armory Drive	Franklin Auto, LLC	Completed		Awaiting fees	3.78	Site Plans received 9/16/2020. Site plans currently under initial review. We have received copies of site plans, site plan review fee (\$244.50), E&S bond estimate, application for Site Development Plan Review. First submittal was completed and comments were compiled and returned to B&B Consultants for review (10/7). Awaiting Second Submittal. On 10/14, held a design meeting with architect from B&B Consultants to discuss interior design specifications. On 10/19, held on-site meeting to discuss drainage components being redrawn and recalculated. Second submittal is due to arrive the week of November 16th. In accordance with the Zoning Ordinance section 24.5 Item B, the site plans needed approval from the Planning Commission. Planning Commission was held on 11/19; site plans were approved. Second Submittal of site plans received by the Environmental Services on 12/1/20. Site Plan second submittal comments were due to the Environmental Services division by 12/18/2020. Second Submittal Comments were sent back to B&B on 12/21; at this time, there are no other site plan comments. The comment letter consisted of requested revisions of the SWPPP and bond estimates. Awaiting third submittal.

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: November 2020

8/27/2020	Wawa - Armory Drive	1461 Armory Drive	Capital Growth Buchalter/Kimley-Horn	Completed			2.02	<p>Site plans received 8/27/2020. Site plan review fee paid and received. Zoning/City, Public Works, VDOT have been notified of plans. 1st submittal currently under review. 1st submittal completed and comments returned to Kimley-Horn (9/23) Awaiting 2nd submittal. Second Submittal arrived 11/5/2020. City of Franklin staff reviewed and submitted comments back to Kimley-Horn by 11/20/2020. Kimley-Horn and the City of Franklin staff are all satisfied with comments on the site plans. The wawa project is scheduled to go before the Planning Commission on 12/17 at 5:30 pm per zoning ordinance section 24.5 item B. Wawa appeared in front of the Planning Commission on the scheduled date. The Commissioners expressed concern on the "porkchop entrance" that is proposed on the Armory Drive entrance, however, Ms. Walkup, Interim Director of Community Development, and Mr. Jeremy Yee, Professional Engineer of Kimley-Horn, ensured the Commissioners this proposal is the best design for the site. Site plans were approved by the Commissioners. Kimley-Horn submitted Third submittal of site plans on 12/18/2020.</p>
8/25/2017	Rock Church - Gymnasium Bldg	130 Lakeview Road	Rock Church/Kimley Horn	Complete	Yes	Yes	1.03	<p>ESD approved site plan 8/25/2017 and issued Land Disturbing Permit on 9/20/2017. Crowder and White Contractor continuing with site work. Prepared pad foundation. Bldg plans approved-contractor foundation and framing work completed. Interior construction underway Performing E & S Control Inspections as required. Slope behind building has sod applied to it and roof top connection pipes were installed to reduce runoff effects Church is preparing to complete parking lot and final landscaping. Site work is 100% complete. Waiting for as-build plans from engineer. As-build plans received 11/20/2020. Awaiting an updated BMP Maintenance agreement to record in courthouse. An updated BMP agreement has been received and the as-built plans have been filed in the Southampton County Circuit Court System.</p>

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: November 2020

11/29/2017	Hayden Village Center (Site design)	Franklin, Virginia	Hoggard-Eure Associates	Complete	Yes	Yes	1.97	<p>Progress meeting with Engineer on site plan design with Community Development Staff on 11/29/2017. Received site plans and drainage computations and site plan review application on December 8, 2017. Performed first site plan review on 12/29/2017. Project review meeting with CD and Public Works Depts on 2/27/2018. Received revised site plans on June 1, 2018. Received fourth site plan review on 7/19/2018. Developer continued with site redesign on 10/11/2018 for budget purposes. Revisions underway on complete construction phasing plan to secure the Temporary CO. Contacted Luna Development Services early February 2019 and stated they will commence with site work in 30 days. Developer is in process of obtaining surety bond and land disturbance permit. Installation of Stormwater BMP, concrete dumpster pad and drainage system is complete. Commenced with asphalt paving of parking lot in December 2019. Released Surety bonds in December 2019. Continuing with interior construction work. Parking Lot paving complete - January 2020. Secured additional surety bond and awaiting completion of landscaping and site lighting. Luna Development commenced with modified landscaping plan 50% complete. Landscaping and lighting are 100% as of August 2020. Pending release of surety bonds after receiving as-built site plans from engineer. As-built plans have been received by the division and Ms. Smith has contacted the bond company to release surety bonds.</p>

DELINQUENT MEALS & LODGING TAX REPORT AS OF DECEMBER 7 2020

(DUE NOVEMBER 20 2020)

MEALS TAX

BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS
JAI SHREE KRISHNA FRANKLIN BOWLING CENTER	OCTOBER 2020	1
MAN MARKET	AUG., SEPT, & OCT 2020	3
TIERS TO YOU	SEPT & OCT 2020	2
PARK N SHOP 8	OCT 2020	1
PARK N SHOP 18	OCT 2020	1
MAGNUM ENTERPRISES	OCT 2020	1
FRANKLIN'S SEAFOOD	OCT 2020	1
OUR TREE COMPANY	OCT 2020	1

LODGING TAX


BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS

ALL LODGING TAX RETURNS ARE CURRENT

New Business Up-date
December 2020

Business Name	Location	Contact Info	Type of Service
Vaughan-Temple Funeral Home LLC/Tonjania Temple/Owner	1717 South Street Franklin, Virginia 23851	757-562-3774	Funeral Home/New Owner
Virginia Outdoors LLC/Ray Smith/Owner	201 North Main Street Franklin, Virginia 23851	757-304-9392	Retailer

	A	B	C	D	E	F	G	H	I	K	L	M	N
1				Franklin Department of Parks & Recreation									
2				Dec-20									
3													
4													
5													
6	Athletics												
7	Total												
8													
9	Programs												
10	Girls on the Run												
11	Aikido												
12	Pool Club												
13	Domino Club												
14	Open Recreation												
15	Pinocle												
16	Franklin Ministers Association												
17	Junior Youth Empowerment												
18	Tutoring and Reading Program												
19	Bid Whist Club												
20	Dance Team Practice												
21	Activity of the week												
22	Franklin wellness coalition												
23	Cornhole												
24	Total												
25													
26	Cover 3 Feeding												
27	Breakfast												
28	Lunch												
29	Snacks												
30	Dinners												
31	Total												
32													
33	Community Meetings												
34	Total												
35													
36	Social Media -Facebook clicks												
37	Total												
38													
39	Volunteers												
40	Shop with a Cop												
41	Activity-To-Go												
42	5 k Girls on the Run Event												
43	Christmas Holiday Market												
44	Candy Cane Hunt												
45	Christmas Tree Light Show												
46	Food Bank												



Farmers Market			
	12/5/2020		82
	12/12/2020		168
	12/19/2020		172
	12/23/2020		50
Total			472
Foodbank			
	12/4/2020		9
	12/11/2020		8
	12/18/2020		10
Total			27
Special Activities			
	Shop with a Cop 12/12/2020		23
	5 K Girls on the Run Event 12/12/2020		30
	Activity-To-Go 12/1/2020		7
	Activity-To-Go 12/3/2020		6
	Activity-To-Go 12/8/2020		5
	Activity-To-Go 12/10/2020		6
	Activity-To-Go 12/15/2020		6
	Activity-To-Go 12/17/2020		5
	Activity-To-Go 12/22/2020		5
	Activity-To-Go 12/29/2020		5
	Activity-To-Go 12/31/2020		5
	Christmas Holiday Market 12/12/2020		168

	A	B	C	D	E	F	G	H	I	K	L	M	N
47	Total				56			Christmas Tree Light Show 12/4/2020		220			
48								Christmas Tree Light Show 12/5/2020		70			
49								Christmas Tree Light Show 12/6/2020		55			
50								Christmas Tree Light Show 12/11/2020		60			
51								Christmas Tree Light Show 12/12/2020		60			
52								Christmas Tree Light Show 12/13/2020		60			
53								Christmas Tree Light Show 12/18/2020		60			
54								Christmas Tree Light Show 12/19/2020		60			
55								Christmas Tree Light Show 12/20/2020		54			
56								Christmas Tree Light Show 12/21/2020		60			
57								Christmas Tree Light Show 12/22/2020		60			
58								Christmas Tree Light Show 12/23/2020		60			
59								Christmas Tree Light Show 12/24/2020		70			
60								Santa Drive-Thru 12/4/2020		150			
61								Holiday Book Giveaway		75			
62								Candy Cane Hunt To Go Bags		200			
63								Total		1645			
64													
65								Athletics		0			
66								Program		65			
67								Community Meetings		22			
68								Special Activities		1645			
69								Farmers Market		472			
70								Foodbank		27			
71								Social Media -Facebook		3500			
72								Cover 3 Feeding		0			
73								Volunteers		56			
74								Grand Total		5,787			

	A	B	C	D	E	F
1	Franklin Power & Light					
2	Trouble Calls					
3	December 1, 2020 to December 31, 2020					
4						
5	Date:					
6	Location:	Date:	12/16/2020			
7	Time first call came in:	Location:	CSX railroad crossing Delaware rd			
8	Actual Time of Outage:	Time first call	11:50AM			
9	Power restored:	Actual Time of Outage:				
10	Response time:	Power restore	12:30PM			
11	Problem:	Response time:				
12		Problem:	Fuse blown squirrel			
13	# of customers effected:	# of customer	1			

Date:	Monday - 7/6/15					
Location:	Part of Dogwood Bend Road and Sycamore Church Road					
Time first call came in:	7:34pm					
Actual Time of Outage:						
Power restored:	8:15pm to 94 customers					
Power restored:	9:00pm to 2 customers					
Response time:	20 minutes					
Problem:	Storm trouble - primary wire down - opened up "C" phase reclosure					
# of customers effected:	96					
This opened up "C" phase reclosure 1442 on Dogwood Bend Rd.						
Date:	Wednesday - 7/8/15					
Location:	31132 Smiths Ferry Road					
Time first call came in:	2:30am					
Actual Time of Outage:						
Power restored:	4:30am					
Response time:	35 minutes					
Problem:	Tree - fell across house service and tore it down					
# of customers effected:	2					
Wendell said it probably rocked the primary pretty good across road						
Date:	Wednesday - 7/15/15					
Location:	Smiths Ferry Road (Miller Farm)					
Time first call came in:	10:20am					
Actual Time of Outage:						
Power restored:	11:37am					
Response time:	15 minutes					
Problem:	Partial power - blown lightning arrester in the pad mount transformer					
# of customers effected:	1					
Outage at Miller farm just south of Mr. Darden - trouble shooting probably blinked him						



COMMONWEALTH OF VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY

Quarter 1 2 3 4

Quarterly Ground Water Withdrawal Report

Owner: City of Franklin Name of Operator Stephen W. Watson
 Facility: City of Franklin Public Works Position/Title Utility Superintendent
 Address 1050 Pretlow Street Signature Stephen W. Watson Date 1-5-2021
Franklin, Virginia 23851 Phone 757-562-8564
 Permit # GW0042901 (Expires December 07, 2027)
 Note: New Application Due – March 12, 2027

Meter Readings are reported in Gallons (gallons, 100's or 1000's of gallons, cubic feet, etc.)

Month of October Year of 2020

Total Year to Date from Previous Quarter

257054000

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,700,000	49,700,000	0
Hunterdale #5	233-00005 364047076552405	2,175,000	2,075,000	100,000
Pretlow Industrial Park #6	233-00015 363932076553701	949,520,000	935,843,000	13,677,000
Hunterdale #7	233-00016 364151076571701	175,292,000	163,948,000	11,344,000
Total Gallons This Month				25,121,000
Total Gallons Year to Date				282175000

Month of November Year of 2020

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,700,000	49,700,000	0
Hunterdale #5	233-00005 364047076552405	2,275,000	2,175,000	100,000
Pretlow Industrial Park #6	233-00015 363932076553701	961,696,000	949,520,000	12,176,000
Hunterdale #7	233-00016 364151076571701	186,015,000	175,292,000	10,723,000
Total Gallons This Month				22,999,000
Total Gallons Year to Date				305174000

FILE

Quarterly Groundwater Withdrawal Report

Quarter 1 2 3 **4**

System Name City of Franklin

Month of December Year of 2020

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,700,000	49,700,000	0
Hunterdale #5	233-00005 364047076552405	2,400,000	2,275,000	125,000
Pretlow Industrial Park #6	233-00015 363932076553701	974,594,000	961,696,000	12,898,000
Hunterdale #7	233-00016 364151076571701	196,682,000	186,015,000	10,667,000
Total Gallons This Month				23,690,000
Total Gallons Year to Date				328864000

I certify under penalty of the law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel

NAME: Stephen W. Watson DATE: 1-5-2021

SIGNATURE: *Stephen W. Watson*

Return Completed Form To:
Virginia Department of Environmental Quality
Central Office
Attn: Groundwater Withdrawal Permitting Program
P.O. Box 1105
Richmond, Virginia 23218

FILE

CITY OF FRANKLIN
WATER SYSTEM CHLORINATION REPORT
 DECEMBER 2020

	Pretlow	Hunterdale.	Armory Dr	Public Works	Cypress Ave	Trail Road	2nd Ave
	Well # 6	Well # 7	Dist. Sys	Dist. Sys.	Dist. Sys.	Dist. Sys.	Dist. Sys.
	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res	Cl2 Res	Cl2 Res.
Date	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l
1	0.93	0.94	0.60	0.65	0.69	0.64	0.46
2	1.07	0.91	0.63	0.68	0.61	0.63	0.38
3	0.99	0.94	0.63	0.65	0.64	0.67	0.43
4	1.05	0.96	0.73	0.72	0.63	0.64	0.44
5	1.08	0.92	0.71	0.57	0.60	0.62	0.33
6	1.07	0.97	0.66	0.63	0.63	0.62	0.46
7	0.99	1.01	0.62	0.72	0.63	0.68	0.45
8	1.04	0.94	0.58	0.65	0.55	0.62	0.44
9	1.08	0.97	0.73	0.78	0.65	0.67	0.49
10	1.02	1.00	0.61	0.70	0.65	0.67	0.44
11	1.02	0.98	0.70	0.71	0.66	0.69	0.45
12	1.04	0.97	0.66	0.70	0.66	0.68	0.50
13	1.01	0.96	0.66	0.73	0.63	0.70	0.46
14	0.91	0.97	0.58	0.64	0.62	0.66	0.50
15	1.06	0.98	0.65	0.74	0.64	0.67	0.45
16	1.01	0.96	0.68	0.75	0.64	0.67	0.47
17	0.95	0.91	0.65	0.77	0.64	0.68	0.49
18	1.00	0.97	0.64	0.73	0.65	0.66	0.47
19	1.00	0.93	0.65	0.54	0.63	0.65	0.41
20	1.03	0.93	0.63	0.61	0.63	0.67	0.42
21	1.09	1.01	0.60	0.66	0.66	0.67	0.49
22	1.01	0.96	0.64	0.75	0.62	0.70	0.47
23	1.03	0.95	0.63	0.67	0.63	0.65	0.45
24	1.10	0.86	0.70	0.67	0.64	0.67	0.46
25	1.01	1.02	0.68	0.65	0.63	0.67	0.45
26	1.05	0.99	0.64	0.65	0.64	0.63	0.42
27	1.10	0.96	0.66	0.67	0.67	0.66	0.43
28	0.99	0.96	0.62	0.65	0.64	0.69	0.40
29	1.07	0.96	0.68	0.65	0.67	0.67	0.50
30	0.99	0.98	0.65	0.70	0.66	0.68	0.46
31	0.99	0.90	0.67	0.50	0.63	0.66	0.41

COMMONWEALTH OF VIRGINIA
 GROUND WATER PUMPAGE AND USE REPORT

Year 2020
 MONTH DECEMBER
 Quarter 1 2 3 (4)
 (Circle One)
 County/ City
City of Franklin

State Department of Health and State Water Control Board

Public. Send copy of report to Regional State Water Control Board Office and
 Regional State Health Department Office

Industrial. Send copy of report to Regional State Water Control Office

Other. Send copy of report to Regional State Water Control Board Office

Source:
 Well(s)
 Spring(s)
 Wells and Spring(s)

Name of Waterworks
City of Franklin

Name of Operator Stephen W. Watson

Position/ Title Utility Superintendent

Owner Same

Signature Stephen W. Watson Date 1-5-2021

Address: P. O. Box 179

Population Served (Public) 9,000

Franklin, Va. 23851 Phone (757)562-8564

No. of Connections (Public) 3,500

Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 4 Well
Last	Months Reading	49,700,000
1	Meter Reading*	Gal. used
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		0	
24		0	
25		0	
26		0	
27		0	
28		0	
29		0	
30		0	
31	49,700,000	0	

* Read meter same time each day
 ** If taken, read at end of non pumping period
 ***If taken, read at end of heavy- pumping period
 ****If taken in one well in a field, specify which

Total Gallons During Month	0	Total Gallons During Quarter	0
Total Oper. Days this Month	0	Total Oper. Days this Quarter	0
Daily Average During Month	0.00	Daily Average During Quarter	0.00

Well - COLLEGE DR

FILE

COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT

Year 2020
 MONTH DECEMBER
 Quarter 1 2 3 4
 (Circle One)
 County/ City
City of Franklin

Source:

Well(s)
 Spring(s)
 Wells and Spring(s)

State Department of Health and State Water Control Board

Public. Send copy of report to Regional State Water Control Board Office and
 Regional State Health Department Office

Industrial. Send copy of report to Regional State Water Control Office

Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin

Name of Operator Stephen W. Watson

Position/ Title Utility Superintendent

Owner Same

Signature Stephen W. Watson Date 1-5-2021

Address: P. O. Box 179

Population Served (Public) 9,000

Franklin, Va. 23851 Phone (757)562-8564

No. of Connections (Public) 3,500

Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 5 Well
Last	Months Reading	2,275,000
	Meter Reading*	Gal. used
1		0
2		0
3		25,000
4		0
5		0
6		0
7		0
8		0
9		25,000
10		0
11		0
12		0
13		0
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		25,000	
18		0	
19		0	
20		0	
21		0	
22		25,000	
23		0	
24		0	
25		0	
26		0	
27		0	
28		0	
29		25,000	
30		0	
31	2,400,000	0	

* Read meter same time each day

** If taken, read at end of non pumping period

***If taken, read at end of heavy- pumping period

****If taken in one well in a field, specify which

Well - HUNTERDALE # 5

Total Gallons
During Month

125,000

Total Oper.
Days this Month

5

Daily Average
During Month

25,000.00

Total Gallons
During Quarter

325,000

Total Oper.
Days this Quarter

13

Daily Average
During Quarter

25,000.00

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2020
MONTH DECEMBER
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board

Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office

Industrial. Send copy of report to Regional State Water Control Office

Other. Send copy of report to Regional State Water Control Board Office

Water Source:
 Well(s)
 Spring(s)
 Wells and Spring(s)

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 1-5-2021
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 6 Well
Last	Months Reading	961,696,000
Well No.	Meter Reading*	Gal. used
1		397,000
2		388,000
3		381,000
4		381,000
5		488,000
6		455,000
7		319,000
8		395,000
9		502,000
10		398,000
11		347,000
12		438,000
13		458,000
14		431,000
15		391,000

Date	Meter Reading*	Gal. Used	Water Level****
16		438,000	
17		419,000	
18		425,000	
19		477,000	
20		456,000	
21		317,000	
22		391,000	
23		430,000	
24		456,000	
25		423,000	
26		373,000	
27		387,000	
28		456,000	
29		427,000	
30		424,000	
31	974,594,000	430,000	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - PRETLOW

Total Gallons During Month	12,898,000	Total Gallons During Quarter	38,751,000
Total Oper. Days this Month	31	Total Oper. Days this Quarter	92
Daily Average During Month	416,064.52	Daily Average During Quarter	421,206.52

FILE

COMMONWEALTH OF VIRGINIA
 GROUND WATER PUMPAGE AND USE REPORT

Year 2020
 MONTH DECEMBER
 Quarter 1 2 3 4
 (Circle One)
 County/ City
City of Franklin

State Department of Health and State Water Control Board

Public. Send copy of report to Regional State Water Control Board Office and
 Regional State Health Department Office

Industrial. Send copy of report to Regional State Water Control Office

Other. Send copy of report to Regional State Water Control Board Office

Source:
 Well(s)
 Spring(s)
 Wells and Spring(s)

Name of Waterworks
City of Franklin
 Owner Same
 Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
 Position/ Title Utility Superintendent
 Signature Stephen W. Watson Date 1-6-2021
 Population Served (Public) 9,000
 No. of Connections (Public) 3,500
 Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 7 Well
Last	Months Reading	186,015,000
1	Meter Reading*	Gal. used
1		360,000
2		347,000
3		238,000
4		408,000
5		398,000
6		190,000
7		431,000
8		230,000
9		501,000
10		191,000
11		484,000
12		222,000
13		351,000
14		334,000
15		362,000

Date	Meter Reading*	Gal. Used	Water Level****
16		264,000	
17		474,000	
18		349,000	
19		350,000	
20		358,000	
21		331,000	
22		300,000	
23		329,000	
24		387,000	
25		212,000	
26		336,000	
27		496,000	
28		365,000	
29		347,000	
30		358,000	
31	196,682,000	364,000	

* Read meter same time each day

** If taken, read at end of non pumping period

***If taken, read at end of heavy- pumping period

****If taken in one well in a field, specify which

Well - HUNTERDALE # 7

Total Gallons
During Month

10,667,000

Total Oper.
Days this Month

31

Daily Average
During Month

344,096.77

Total Gallons
During Quarter

32,734,000

Total Oper.
Days this Quarter

92

Daily Average
During Quarter

355,804.35

FILE

Year: 2020
 Month: DECEMBER

Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Pretlow Entry Point (EP006)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	7:58	4.84 gpd	0.93	0.60	125 Gals
2	10:23	4.84 gpd	1.07	0.63	
3	8:01	4.84 gpd	0.99	0.63	
4	8:01	4.84 gpd	1.05	0.73	
5	11:30	4.84 gpd	1.08	0.71	
6	9:57	4.84 gpd	1.07	0.66	
7	8:03	4.84 gpd	0.99	0.62	
8	8:10	4.84 gpd	1.04	0.58	
9	10:38	4.84 gpd	1.08	0.73	
10	7:53	4.84 gpd	1.02	0.61	
11	8:09	4.84 gpd	1.02	0.70	
12	9:51	4.84 gpd	1.04	0.66	
13	10:14	4.84 gpd	1.01	0.66	
14	8:27	4.84 gpd	0.91	0.58	
15	8:05	4.84 gpd	1.06	0.65	
16	8:02	4.84 gpd	1.01	0.68	
17	8:02	4.84 gpd	0.95	0.65	
18	8:12	4.84 gpd	1.00	0.64	
19	11:27	4.84 gpd	1.00	0.65	
20	11:41	4.84 gpd	1.05	0.63	
21	8:14	4.84 gpd	1.09	0.60	
22	8:10	4.84 gpd	1.01	0.64	
23	8:03	4.84 gpd	1.03	0.63	
24	10:39	4.84 gpd	1.10	0.70	
25	9:24	4.84 gpd	1.01	0.68	
26	9:12	4.84 gpd	1.05	0.64	
27	10:23	4.84 gpd	1.10	0.66	
28	7:59	4.84 gpd	0.99	0.62	
29	8:11	4.84 gpd	1.07	0.68	
30	8:13	4.84 gpd	0.99	0.65	
31	9:25	4.84 gpd	0.99	0.67	400 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

FILE

Year: 2020
 Month: DECEMBER

Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Hunterdale Entry Point (EP007)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	11:07	3.06 gpd	0.94	0.64	455 Gals
2	11:45	3.06 gpd	0.91	0.63	
3	10:28	3.06 gpd	0.94	0.67	
4	11:06	3.06 gpd	0.96	0.64	
5	12:47	3.06 gpd	0.92	0.62	
6	11:04	3.06 gpd	0.97	0.62	
7	11:13	3.06 gpd	1.01	0.68	
8	9:26	3.06 gpd	0.94	0.62	
9	11:47	3.06 gpd	0.97	0.67	
10	8:41	3.06 gpd	1.00	0.67	
11	10:57	3.06 gpd	0.98	0.69	
12	10:45	3.06 gpd	0.97	0.68	
13	11:02	3.06 gpd	0.96	0.70	
14	10:41	3.06 gpd	0.97	0.66	
15	11:01	3.06 gpd	0.98	0.67	
16	8:44	3.06 gpd	0.96	0.67	
17	10:41	3.06 gpd	0.91	0.68	
18	11:08	3.06 gpd	0.97	0.66	
19	12:35	3.06 gpd	0.93	0.65	
20	12:45	3.06 gpd	0.93	0.67	
21	10:43	3.06 gpd	1.01	0.67	
22	10:26	3.06 gpd	0.96	0.70	
23	11:10	3.06 gpd	0.95	0.65	
24	11:26	3.06 gpd	0.86	0.67	
25	10:08	3.06 gpd	1.02	0.67	
26	9:53	3.06 gpd	0.99	0.63	
27	11:07	3.06 gpd	0.96	0.66	
28	11:14	3.06 gpd	0.96	0.69	
29	10:34	3.06 gpd	0.96	0.67	
30	10:58	3.06 gpd	0.98	0.68	
31	11:20	3.06 gpd	0.90	0.66	360 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

FILE

Isle of Wight County

Flow Report and Rain Fall

Month of: **Dec-20**

Last Read

Rain:

1	3625252	95499	0.10
2	3713608	88356	0.00
3	3802853	89245	0.00
4	3889748	86895	0.00
5	4019705	129957	1.10
6	4156035	136330	0.10
7	4232931	76896	0.10
8	4309091	76160	0.20
9	4384323	75232	0.00
10	4489120	104797	0.00
11	4584125	95005	0.00
12	4673049	88924	0.00
13	4760388	87339	0.00
14	4841195	80807	0.00
15	5045893	204698	0.00
16	5170933	125040	0.00
17	5414937	244004	0.90
18	5555625	140688	0.00
19	5669564	113939	0.00
20	5770221	100657	0.00
21	5912158	141937	0.50
22	6033978	121820	0.00
23	6135004	101026	0.00
24	6229641	94637	0.20
25	6436158	206517	1.50
26	6590607	154449	0.00
27	6705409	114802	0.00
28	6805797	100388	0.00
29	6903263	97466	0.00

30	6990976	87713	0.00
31	7081663	90687	0.00
Total		3,551,910	4.70

ng Prior Month 3529753

**COURTLAND WASTEWATER TREATMENT PLANT
FLOW DATA CHART** **EDGEHILL PUMP STATION**

MONTH: December YEAR: 2020

DATE	DAY	OPERATOR	TIME	METER READING	GALLONS PUMPED
1	Tues	TC	9:14	4827630	43,140
2	Wed	CL	1005	4870770	25,350
3	Thur	PD	908	4896120	25,920
4	Fri	PD	1121	4922040	108,060
5	SAT	MB	12:56	5030100	68,500
6	SUN	PD	11:00	5098600	55,200
7	MON	TC	1:29	5153800	47,490
8	Tues	MB	10:05	5201290	44,110
9	Wed	CL	1200	5245400	32,640
10	Thur	CL	950	5277440	32,890
11	Fri	TC	10:40	5310330	29,240
12	SAT	PD	1103	5339570	28,510
13	SUN	TC	10:53	5368080	33,590
14	MON	PD	1048	5401670	125,130
15	Tues	MB	9:43	5526800	59,340
16	Wed	CL	935	5586140	135,460
17	Thur	PD	850	5721600	66,090
18	Fri	MB	10:31	5787690	35,330
19	SAT	PD	917	5823020	34070
20	SUN	MB	9:43	5857090	83,310
21	MON	TC	11:58	5940400	40,640
22	Tues	CL	910	5981040	34,620
23	Wed	PD	850	6015660	32,170
24	Thur	CL	850	6047830	107,660
25	Fri	TC	8:27	6155490	73,500
26	SAT	TC	11:18	6228990	40,700
27	SUN	CL	1020	6269690	32,840
28	MON	PD	1:22	6302530	24,280
29	Tues	TC	9:35	6326810	25,790
30	Wed	PD	840	6352600	27,930
31	Thur	PD	9:30	6380530	119,190
TOTALS					1672090
AVERAGE					53938

1/1/01 6499720