

Department of Public Works

1050 Pretlow Street, Post Office Box 179, Franklin, Virginia 23851 **Facsimile:** 757 562 7883

757 562 8564 **Telephone:**

> Annual Water Quality Report For Calendar Year 2015 July 1, 2016

Your water:

- Is continuously tested
- Meets or exceeds Federal and State standards for safe drinking water.

Purpose of Report

This is an on-going series of annual reports on your public water system. Its purpose is to:

- Help you make informed decisions about your health,
- Furnish you information about the sources, delivery and quality of your water,
- Encourage communications between you and the Department of Public Works, &
- Involve you in the decisions about your public water system.

Your Comments

Franklin City Council meets the second and fourth Mondays of each month at 7:00 p.m. in the City Council Chambers, 207 West Second Avenue. Contact the Department of Public Works at the number noted above if you are interested in participating in decisions that affect your drinking water.

Sources of Water

The City of Franklin, three other municipalities and two large industries are permitted by the Virginia Department of Environmental Quality to withdraw groundwater from the **Potomac Aquifers** in the area. The City of Franklin owns and operates four wells for the purpose of supplying water for industrial, commercial and residential uses. A significant portion of the water is intended for human consumption, or drinking water, both tap water and bottled water. The City also complies with a Groundwater Withdraw Permit issued by the Virginia Department of Environmental Quality (VDEQ). For informational purposes the VDEQ well numbers are provided in the following table.

City Well Designations							
Franklin Well No.	DEQ Well No.						
#4	233-014						
#5	233-005						
#6	233-015						
#7	233-016						

Source Water Assessment

The Virginia Department of Health conducted a Source Water Assessment of the City of Franklin Waterworks in 2001. The well #4-College Drive was determined to be of high susceptibility to contamination using the criteria developed by the state in its approved Source Water Assessment Program, while wells #5-Hunterdale and the #6-Pretlow were determined to be of low susceptibility using the same criteria. The assessment report consist of maps showing the Source Water Assessment area, an inventory of known Land Use Activities and Potential Sources of Contamination, Potential Conduits to Groundwater, Susceptibility Explanation Chart, and Definitions of Key Terms. The report is available by contacting your waterworks operator/owner at the phone number or address included in the CCR.

Delivery of Water

Water is delivered to you through a distribution system of pipe work. The City of Franklin has an active program of replacing undersized and older pipelines throughout the distribution system. The number of leaks per unit pipe length, age, work orders, cost for replacement, and reports of inadequate pressure are factors that determine replacement priority. The original goal of the program was to improve fire protection by increasing flow to the fire hydrants. The replacement program has also been effective in reducing system leaks.

Requests for utility location services have risen sharply. By responding promptly and by providing accurate information, the potential for future leakage and line breaks is reduced. Response time to line breaks and leaks also represents an important component of our water conservation efforts.

The City of Franklin drilled a new well which was placed online in December 2005. The new well was installed to increase production and to reduce fluoride levels to our customers

Source Water Assessment

The Virginia Department of Health conducted a Source Water Assessment of the City of Franklin Waterworks in 2001. The well #4-College Drive was determined to be of high susceptibility to contamination using the criteria developed by the state in its approved Source Water Assessment Program, while wells #5-Hunterdale and the #6-Pretlow were determined to be of low susceptibility using the same criteria. The assessment report consist of maps showing the Source Water Assessment area, an inventory of known Land Use Activities and Potential Sources of Contamination, Potential Conduits to Groundwater, Susceptibility Explanation Chart, and Definitions of Key Terms. The report is available by contacting your waterworks operator/owner at the phone number or address included in the CCR.

Delivery of Water

Water is delivered to you through a distribution system of pipe work. The City of Franklin has an active program of replacing undersized and older pipelines throughout the distribution system. The number of leaks per unit pipe length, age, work orders, cost for replacement, and reports of inadequate pressure are factors that determine replacement priority. The original goal of the program was to improve fire protection by increasing flow to the fire hydrants. The replacement program has also been effective in reducing system leaks.

Requests for utility location services have risen sharply. By responding promptly and by providing accurate information, the potential for future leakage and line breaks is reduced. Response time to line breaks and leaks also represents an important component of our water conservation efforts.

The City of Franklin drilled a new well which was placed online in December 2005. The new well was installed to increase production and to reduce fluoride levels to our customers

Safe Drinking Water Act Regulations

The quality standards for drinking water are established by the United States Environmental Protection Agency (EPA), and the Virginia Department of Health (VDH).

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Water Quality Analysis

The following chart reports all the results of the chemical tests performed on water samples collected from 2006 to 2015 and previous. Some of our data may be more than one year old since the state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently.

Water Quality and Health Information

As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that **may be** present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

Vulnerability

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-comprised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA / CDC guidelines on appropriate means lessen the risk of infection by Cryptosporidium and other microbial contaminants are also available from the Safe Drinking Water Hotline (800-426-4791).

Definitions

Contaminants in your drinking water are routinely monitored according to Federal and State regulations. The table included shows the results of our monitoring for the period of January 1, 2011 to December 31^{st} , 2015. In the table and elsewhere in this report you will find many terms and abbreviations you might not be familiar with. The following definitions are provided to help you better understand these terms:

Non-detects (ND) - lab analysis indicates that the contaminant is not present

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (\mu g/L) - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - is a measure of the radioactivity in water.

Action Level (AL) - the concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow.

Maximum Contaminant Level, or MCL - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal, or MCLG - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfection Level (MRDL) – the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Water Quality Results

Contaminant	MCLG	MCL	Level Found	Range	Date of Samples	Typical Sources of Contaminants
Chlorine Residuals (ppm)	4.0 MRDLG	4.0 MRDL	0.47	0.12-0.73	Monthly	Water additive used to control microbes.
TTHMs (Total trihalomethanes) (ug/l)	0	80	9.8	8.1 – 9.8	July 2015	Byproduct of drinking water disinfection
HAA5 (Total Halocetic Acids) (ug/l)	0	60	1.7	1.3- 1.7	July 2015	Byproduct of drinking water disinfection
Fluoride (ppm)	4	4	3.58	3.25 - 3.58	2012 - 2015	Erosion of natural deposits.
Gross Alpha (pCi/L)	0	15	3.1	0.8 - 3.1	2013 - 2014	Erosion of natural deposits.

Gross Beta* (pCi/L)	0	50	4.1	3.3 - 4.1	2013 - 2014	4	Decay of natural and manmade deposits	
Contaminant	Action Level	Level Found	Range	Samples above AL	Date of Samples		Typical Sources of Contaminants	
Copper (mg/l)	AL=1.3	0.10	ND-0.138	0	2015	Cor	rosion of household plumbing systems; erosion of natural deposits	
Lead (ug/l)	AL= 15	<2	ND-2.89	0	2015	Cor	rosion of household plumbing systems; erosion of natural deposits	
*EPA considers 50pCi/L as the level of concern for beta particles.								
Contaminant	Sample Date	MCL Violation	indicat	Number of samples indicating presence of bacteria		MCL	Likely sources of contamination	
Total coliform bacteria	1/2015	Ν		1		>1	Naturally present in the environment	

Additional Health Information – Fluoride

This is an alert about your drinking water and cosmetic dental problem that might affect children under nine years of age. The drinking water provided by your community water system has an average fluoride concentration of 3.58 mg/l. At low levels, fluoride can help prevent cavities, but children drinking water containing more than 2 mg/l of fluoride may develop cosmetic discoloration of their permanent teeth (dental fluorosis).

Dental fluorosis in its moderate or severe forms may result in a brown staining and/or pitting of the permanent teeth. This problem occurs only in developing teeth, before they erupt from the gums. Children under nine should be provided with alternative sources of drinking water or water that has been treated to remove the fluoride to avoid the possibility of staining and pitting of their permanent teeth. You may also want to contact your dentist about proper use by young children of fluoride containing products. Older children and adults may safely drink the water.

Drinking water containing more than 4 mg/l of fluoride (the U.S. EPA's drinking water standard) can increase your risk of developing bone disease. Your drinking water does not contain more than 4 mg/l of fluoride, but we are required to notify you when we discover that the fluoride levels in your drinking water exceed 2 mg/l because of the cosmetic dental problem.

Additional Health Information – Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Franklin is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 15 to 30 seconds or until it becomes cold or reaches a steady temperature before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://epa.gov/safewater/lead. This statement about lead is required by law, however, tested lead levels are within safe limits for the City of Franklin Water Supply system.

Other drinking water constituents you may be interested in:

Contaminant	SMCL	Level Found	Range	Date of Samples	Typical Sources of Contaminants
Total Dissolved Solids (mg/L)	500	332	229- 332	2010 2015	Erosion of natural deposits widely distributed in nature from industrial or domestic waste or the intrusion of coastal brine.
Sodium (mg/L)	NA	118	80.1-118	2010 2015	Erosion of natural deposits

Total Dissolved Solids - Total Dissolved Solids represent the concentration of individual dissolved ions. A high concentration of TDS may be the result of contamination from industrial or domestic waste or the intrusion of coastal brine. Water high in Total Dissolved Solid may cause hardness in water, deposits, colored water, staining, and salty taste. The Secondary Maximum Contaminant (SMCL) level for Total Dissolved Solids is 500 ppm.

Sodium - There is presently no established standard for sodium in drinking water. Water containing more than 270 mg/l should not be used as drinking water by those persons whose physician has placed them on moderately restricted sodium diets. Water containing more than 20 mg/l should not be used by persons whose physician has placed them on severely restricted sodium diets.